Cumulative Index 1982, 1983, and 1984

Volumes 29, 30, and 31

Note: The volume year is in *italic* type. Page numbers of symposium and article titles are in **boldface** type.

SYMPOSIA

1982

February	PERSISTENT SIGNS AND SYMPTOMS
April	BEHAVIORAL PEDIATRICS
June	ORAL HEALTH
August	PEDIATRIC NEPHROLOGY
October	THE NEWBORN
December	SPORTS MEDICINE

1983

February	ANTI-INFECTIVE THERAPY I
April	ANTI-INFECTIVE THERAPY II
June	PEDIATRIC DERMATOLOGY I
August	PEDIATRIC DERMATOLOGY II
October	PEDIATRIC ALLERGY
December	PEDIATRIC OPHTHALMOLOGY

1984

February	CHRONIC DISEASE IN CHILDREN
April	LEARNING DISORDERS
June	JUVENILE DIABETES
August	THE PEDIATRIC AIRWAY
October	RECURRENT PAIN IN CHILDREN
December	PEDIATRIC CARDIOLOGY

AAMD Adaptive Behavior Scales, *1984:* Apr., 291
Abdomen, tuberculosis of, *1983:* Apr., 343
Abdominal pain, in diabetic ketoacidosis, *1984:* June, 599–600
recurrent, *1984:* Oct., **969–991**
behavioral management of, *1984:* Oct., 1125–1127
Abuse. See *Child abuse.*
Accutane, for acne, *1983:* June, 508–509
Acetaminophen, for management of chronic pain, *1984:* Oct., 1141–1143
Achalasia, *1984:* Aug., 842
Acidosis, renal tubular, *1982:* Aug., 898–901
Acne, *1982:* Feb., 40–42
endocrine aspects, *1983:* June, **495–499**
etiology, *1983:* June, **511–514**
hormonal therapy for, *1983:* June, 497–498
phototherapy for, *1983:* Aug., 703
treatment review, *1983:* June, **501–510**
Acrodermatitis enteropathica, due to zinc deficiency, *1983:* June, 586–588
Acropustulosis, of infancy, *1983:* Aug., 610–611, 736–738
Actinic prurigo, *1983:* Aug., 694–697
Acute glomerulonephritis, *1982:* Aug., **857–873**
Acute necrotizing ulcerative gingivitis, in adolescence, *1982:* June, 642
Acyclovir, *1983:* Feb., 84–86
Adaptive behavior scales, *1984:* Apr., 290–291
Adenine arabinoside, *1983:* Feb., 79–81
Adie's pupil, *1983:* Dec., 1111
Adolescence, learning disorders of, *1984:* Apr., **345–369**
assessment, *1984:* Apr., 361–364
management, *1984:* Apr., 364–366
Adolescent(s), cough in, *1982:* Feb., 72, 75
dental management, *1982:* June, **631–651**
development, *1982:* Apr., 368–369
health care, behaviorial considerations, *1982:* Apr., **399–413**
interviewing, *1982:* Apr., 403–409
physical examination, psychological considerations, *1982:* Apr., 409–411
physicians of, characteristics, *1982:* Apr., 411
psychological growth and development, *1982:* Apr., 399–403
referring for psychological problems, *1982:* Apr., 411
with chronic illness, *1984:* Feb., **211–219**
psychological development, *1984:* Feb., 28–30
Adrenergic drugs, for asthma, *1983:* Oct., **931–942**
in initial management of acute asthma, *1984:* Aug., 883–884
for chronic rhinitis, *1984:* Aug., 812–813
Adrenocorticosteroid(s). See *Corticosteroid(s).*
Adrenoleukodystrophy, learning problems and, *1984:* Apr., 310
Afebrile pneumonia syndrome, of neonates, *1983:* Apr., 317–318
Age, initiation of toilet training and, *1982:* Apr., 298–299
Aggression, in hyperactive children, *1984:* Apr., 399–401
Air embolism, in scuba divers, *1982:* Dec., 1434–1435
Air pollution, causing chronic bronchitis, *1984:* Aug., 860
respiratory symptoms and, *1984:* Aug., 764–765
Airway, compression and collapse, in differential diagnosis of chronic bronchitis, *1984:* Aug., 857
in respiratory distress syndrome, *1982:* Oct., 1059–1060
pediatric, symposium on, *1984:* Aug., **755–941**
problems, sleep-associated, *1984:* Aug., 907–918
Airway disease, obstructive, virus-induced, *1983:* Oct., **819–828**
long-term prognosis, *1983:* Oct., 824–826
Alacrima, *1983:* Dec., 1160–1161
Alarms, enuresis, *1982:* Feb., 24–27, 31; *1982:* Apr., 309
Albinism, ocular findings in, *1983:* Dec., 1126–1128
Albright hereditary osteodystrophy, *1982:* June, 565
Albright's syndrome, *1983:* June, 488
Albuterol, for asthma, *1983:* Oct., 934–935, 938
Alice in Wonderland syndrome, *1982:* Feb., 82
Alimentary tract. See *Gastrointestinal tract.*
Alkaptonuria, *1983:* Aug., 599–601
Allergen(s), inducing IgE antibody formation, *1983:* Oct., 800–801
Allergenic extracts, *1983:* Oct., **795–805**
characterization, *1983:* Oct., 795–800
classification recommendations, *1983:* Oct., 802–803
standardization, *1983:* Oct., 800–802
Allergic tension-fatigue syndrome, *1984:* Apr., 463
Allergy. See also under specific factors, as *Cow's milk*, and manifestations, as *Asthma.*
diagnosis and therapy, unproven procedures, *1983:* Oct., **807–817**
insect sting, *1983:* Oct., **873–886**
symposium on, *1983:* Oct., **771–971**
to insulin, *1984:* June, **675–687**
Alopecia, androgenetic, *1983:* Aug., 649

Alopecia *(Continued)*
in biotin deficiency, *1983:* Aug., 605
scarring, *1983:* Aug., 650
traction, *1983:* Aug., 646–647
Alopecia areata, *1983:* Aug., 645
Alport syndrome, *1982:* Feb., 58
Alveolar bones, injuries, *1982:* June, 735–738
Amantadine, *1983:* Feb., 77–78
Amaurosis, *1983:* Dec., 1104
of pupil, *1983:* Dec., 1108
Amblyopia, *1983:* Dec., 1011–1012
in infancy, *1983:* Dec., 986
organic, *1983:* Dec., 1104
Amelogenesis imperfecta, *1982:* June, 564–571, 589–590
Amenorrhea, *1982:* Feb., 191–199
in dancers and gymnasts, *1982:* Dec., 1417–1418
7-Aminocephalosporic acid, *1983:* Feb., 18
Aminoglycoside antibiotics, *1983:* Feb., 8
clinical pharmacology of, *1983:* Feb., **195–208**
6-Aminopenicillanic acid, *1983:* Feb., 18
Aminopenicillins, *1983:* Feb., 12–14
Amiodarone, for cardiac arrhythmias, *1984:* Dec., 1185
Amitriptyline, for headache, 1045
Amniocentesis, pits due to, *1983:* Aug., 741
Amoxicillin, for acute otitis media, *1983:* Apr., 285–287
Amphetamines, misuse, by adolescent athletes, *1982:* Dec., 1364
Amphotericin B, *1983:* Feb., 50–52
Ampicillin, for acute otitis media, *1983:* Apr., 285–287
for bacterial meningitis, *1983:* Apr., 259–261
for urinary tract infection, *1983:* Apr., 327–328
Ampicillin-derivative penicillins, *1983:* Feb., 5–12
Amrinone, for heart failure, *1984:* Dec., 1202, 1215–1216
Anaerobic infections, chloramphenicol for, *1983:* Feb., 212
in the immunocompromised host, *1983:* Feb., 107
Analgesics, for management of chronic pain, *1984:* Oct., 1137–1143
Anaphylactoid purpura, *1982:* Feb., 57
Anaphylaxis, antihistamines for, *1983:* Oct., 909
Anatomic abnormalities, causing chronic lung disease, *1984:* Aug., 758
of pediatric airway, *1984:* Aug., **821–834**
Androgens, in etiology of acne, *1983:* June, 511–512
sources of, *1983:* June, 496–497
Anemia(s), dental considerations, *1982:* June, 618
interference with growth, *1982:* Aug., 995
Anemia(s) *(Continued)*
Angioedema, *1983:* Oct., **887–897**
Angiomatosis, encephalotrigeminal, *1983:* June, 478–479
Angioplasty, balloon, *1984:* Dec., **1293–1305**
Animal bites, *1983:* Apr., **405–413**
Animals models, for immunotherapy of diabetes mellitus, *1984:* June, 537–539
Aniridia, glaucoma associated with, *1983:* Dec., 1055–1056
Anisocoria, *1983:* Dec., 1110
Ankle, pain in, from sports injuries, *1984:* Oct., 1107–1110
Ankle problems, in dancers and gymnasts, *1982:* Dec., 1411–1413
Ankyloblepharon, *1983:* Dec., 1147–1148
Ankyloglossia, *1982:* June, 688
Anopsia, altitudinal, *1983:* Dec., 1108
Anorexia nervosa, effect on teeth, *1982:* June, 647
Anterior leg pain, in young athletes, *1982:* Dec., 1372–1373
Anthralin, for skin disorders, *1983:* Aug., 760
Anthropometric characteristics, in young athletes, *1982:* Dec., **1305–1323**
Antibiotics. See also specific drugs.
enteral, in prevention of neonatal necrotizing enterocolitis, *1982:* Oct., 1165–1167
systemic, for acne, *1983:* June, 504–508
topical for skin disorders, *1983:* Aug., 758–759
Anticholinergic drugs, for chronic rhinitis, *1984:* Aug., 812–813
Anticipatory guidance, by pediatricians, *1982:* Apr., 263–269
Anticonvulsants, for management of chronic pain, *1984:* Oct., 1146–1148
Antidepressants, tricyclic, for attention deficit disorder, *1984:* Apr., 450
for management of chronic pain, *1984:* Oct., 1144–1146
Antidiarrheal compounds, *1983:* Apr., 373–375
Antifungal chemotherapy, *1983:* Feb., **49–61**
combination, *1983:* Feb., 56–57
topical, for skin disorders, *1983:* Aug., 759
Antihistamines, for management of chronic pain, *1984:* Oct., 1146–1148
H1, *1983:* Oct., **899–914**
clinical pharmacology, *1983:* Oct., 902–908
distinguished from H2, *1983:* Oct., 900
for treatment of urticaria, *1983:* Oct., 895
Antilymphocyte globulin, for immunosuppression in renal transplantation, *1982:* Aug., 1023–1024

Antimicrobial susceptibility testing, *1983:* Feb., 143
Antimicrobial therapy. See also specific agent e.g., *Vancomycin.*
combination, *1983:* Feb., **121–134**
antagonistic, *1983:* Feb., 127
interactions of, *1983:* Feb., 150–151
Antimicrobial therapy, effect of host factors on, *1983:* Feb., **93–102**
symposium on, *1983:* Feb., **1–236**
Antiparasitic agents, topical, for skin disorders, *1983:* Aug., 763
Antiprostaglandin agents, for headache, *1982:* Feb., 89
Antispasmodics, for enuresis, *1982:* Feb., 27
Antithymocyte globulin, for immunosuppression in renal transplantation, *1982:* Aug., 1023–1024
Antitubercular drugs, *1983:* Feb., **177–193**
Antiviral agents, *1983:* Feb., **77–92**
Antiyeast agents, topical, for skin disorders, *1983:* Aug., 759
Ants, bites from, *1983:* June, 576–577
Anxiety, learning and, *1984:* Apr., 480–485
Aorta, coarctation of, balloon angioplasty for, *1984:* Dec., 1300–1302
surgery for, *1984:* Dec., 1279
Aortic insufficiency, surgery for, *1984:* Dec., 1282–1283
Aortic stenosis, balloon angioplasty for, *1984:* Dec., 1392
surgery for, *1984:* Dec., 1279–1281
Aphthous ulcers, *1982:* June, 599–600, 690
Apnea, in premature infants, *1982:* Oct., **1105–1116**
sleep, *1984:* Aug., 908–909, 912–913
Apraxia, oculomotor, congenital, *1983:* Dec., 1112
Ara-A, *1983:* Feb., 79–81
Arachnids, bites from, *1983:* June, 563–571
Ara-T, *1983:* Feb., 87
Arginosuccinic aciduria, *1983:* Aug., 601–602
Arildone, *1983:* Feb., 88
Arm. See *Limb(s).*
Arrhythmias, cardiac, advances in management, *1984:* Dec., **1175–1195**
in the young athlete, *1982:* Dec., 1337–1339
Arthritis, infectious, *1983:* Apr., 275–278
juvenile rheumatoid, ocular findings in, *1983:* Dec., 1129–1131
pain of, *1984:* Oct., 1056–1057
septic, pain of, *1984:* Oct., 1060
viral, pain of, *1984:* Oct., 1060–1063
Artifactual disease, cutaneous, *1983:* Aug., **659–668**
Aspergillosis, allergic bronchopulmonary, *1984:* Aug., 928–929
Asphyxia, in infants of diabetic mothers, *1982:* Oct., 1220
Aspiration, nocturnal, gastroesophageal reflux and, *1984:* Aug., 914–915
Aspiration syndromes, in differential diagnosis of chronic bronchitis, *1984:* Aug., 856–857
Aspirin, for chronic pain, *1984:* Oct., 1141–1143
for Kawasaki disease, *1984:* Dec., 1327
Asplenia, in children with congenital heart disease, *1984:* Dec., 1374
Asplenia syndrome, surgery for, *1984:* Dec., 1289–1290
Asthma, acute severe, *1984:* Aug., **879–890**
antihistamines for, *1983:* Oct., 910
atopy and, *1984:* Aug., 761–762
beta-adrenergic agonists for, *1983:* Oct., **931–942**
bronchial responsiveness and, *1983:* Oct., **829–846**
child, with, susceptibility to respiratory infection, *1983:* Oct., 822
chronic, care by the generalist and specialist, *1984:* Feb., **87–105**
chronic lung disease and risk factors associated with, *1984:* Aug., 760–763
classifications, *1984:* Feb., 92–96, 100
costs of care, *1984:* Feb., 242–243
cromolyn for, *1983:* Oct., 917–922
dental considerations, *1982:* June, 627
drugs for, *1984:* Feb., 101–102
gastroesophageal reflux and, *1984:* Aug., 763
glucocorticosteroids for, *1983:* Oct., 963–965
immunologic aspects, *1984:* Aug., 926–928
in differential diagnosis of chronic bronchitis, *1984:* Aug., 855
nocturnal, *1984:* Aug., 913–914
technologic controversies in care of, *1984:* Feb., 260–261
theophylline for, *1983:* Oct., **943–954**
tobacco smoke exposure and, *1984:* Aug., 762
Atelectasis, *1984:* Aug., **891–905**
acute versus chronic, *1984:* Aug., 897–898
bronchoscopy for, *1984:* Aug., 796–797
complications, *1984:* Aug., 901
distribution, *1984:* Aug., 899–901
recurrent versus persistent, *1984:* Aug., 899
treatment, *1984:* Aug., 901–903
Atherosclerosis, identifying the high-risk child, *1982:* Dec., 1342–1345
in diabetes mellitus, *1984:* June, 653–654
risk for, effect of exercise on, *1982:* Dec., 1341–1354
Athletes, juvenile, anthropometric and body composition characteristics, *1982:* Dec., **1305–1323**
cardiovascular evaluation, *1982:*

Dec., **1325–1339**
recurrent pain in, *1984:* Oct., **1097–1112**
Atopic dermatitis, *1982:* Feb., 50–52; *1983:* Aug., **669–685**
Atopy, asthma and, *1984:* Aug., 761–762
Atrial septal defect, surgery for, *1984:* Dec., 1278
Atrophy, optic nerve, *1983:* Dec., 1116
Attention, definition, *1984:* Apr., 372–373
heart-rate variability and, *1984:* Apr., 377–378
Attention deficit disorders, *1982:* Feb., **105–120**
assessing therapeutic effects, *1984:* Apr., 438–439
clonidine for, *1984:* Apr., 450–451
dextroamphetamine for, *1984:* Apr., 393
diagnosis and treatment, *1984:* Apr., **429–457**
diagnostic criteria for, *1984:* Apr., 437–438
dopamine pharmacology in, *1984:* Apr., 388–389
hyperactivity and, *1984:* Apr., **397–427**
in adolescence, *1984:* Apr., 348
long-term outcome, *1984:* Apr., 451
methylphenidate for, *1984:* Apr., 393, 445–451
multimodality approaches, *1984:* Apr., **499–513**
neurochemical correlates, *1984:* Apr., **387–396**
nonpharmacologic therapies, *1984:* Apr., 439–441
norepinephrine pharmacology in, *1984:* Apr., 388–389
pemoline for, *1984:* Apr., 450
pharmacotherapy of, *1984:* Apr., 441–451
physiologic correlates, *1984:* Apr., **371–385**
Atypical personality development, *1984:* Apr., 488–492
Attention span, increasing, *1982:* Apr., 291
Audition. See *Hearing.*
Auriculotemporal syndrome, *1983:* Aug., 745–746
Autism, *1984:* Apr., 488–489
Autonomic neuropathy, in diabetes mellitus, *1984:* June, 655
Azathioprine, for immunosuppression in renal transplantation, *1982:* Aug., 1022–1023
Azlocillin, *1983:* Feb., 5–12

BACAMPICILLIN, *1983:* Feb., 12–13
Back pain, in dancers and gymnasts, *1982:* Dec., 1415–1417
Back pain *(Continued)*
recurrent, *1984:* Oct., **1083–1095**
in the athlete, *1984:* Oct., 1110–1111
Bacterial infection. See also specific diseases and organisms.
anaerobic, associated with neonatal necrotizing enterocolitis, *1982:* Oct., 1159–1161
eyelid involvement, *1983:* Dec., 1156–1157
in the immunocompromised host, prevention, *1983:* Feb., 107–109
Bacterial specimens, processing, *1983:* Feb., 139–142
Ballet, sports medicine concerns, *1982:* Dec., **1399–1421**
Balloon angioplasty, *1984:* Dec., **1293–1305**
Balthazar Scales, *1984:* Apr., 294
Bankson Language Screening Test, *1984:* Apr., 324
Barlow's syndrome, in cardiovascular examination of young athletes, *1982:* Dec., 1329–1334
Bartter's syndrome, *1982:* Aug., 787, 895–896
Basal cell nevus syndrome, *1983:* June, 492–493
Baths, for skin disorders, *1983:* Aug., 752
Becker's nevus, *1983:* June, 448, 488–489
Beckwith-Wiedemann syndrome, tongue in, *1982:* June, 576
Bedbugs, bites from, *1983:* June, 576
Bedtime problems, office management, *1982:* Apr., 281–286
Bedwetting, *1982:* Feb., **21–36**
Bee-sting allergy, *1983:* Oct., **873–886**
Behavior, in assessment and management of chronic pain, *1984:* Oct., **1113–1131**
of children with language and learning disabilities, *1984:* Apr., 320–321
Behavioral considerations, in adolescent health care, *1982:* Apr., **399–413**
Behavioral disorders. See also specific problem.
definition, *1984:* Apr., 333–334
early detection, *1982:* Apr., 269–274
iatrogenic, *1982:* Apr., 417–418
in preschoolers, *1982:* Feb., **167–176**
in public places, management, *1982:* Apr., 291–292
in young children, prevention, *1982:* Apr., **239–247**
learning difficulties and, *1984:* Apr., 486–488
management, *1982:* Apr., 385–389
office management, *1982:* Apr., 274–292
prevalence, *1982:* Apr., 377–383
recognition of, *1982:* Apr., 383–389
referral, *1982:* Apr., 293

Behavioral pediatrics, child psychiatry and, *1982:* Apr., 392–394
child psychology and, *1982:* Apr., 394–395
development of field, *1982:* Apr., 395–396
educational programs for, *1982:* Apr., 396–397
education in, *1982:* Apr., 420
practice of, evaluation, *1982:* Apr., 397–398
primary care and, *1982:* Apr., **261–296, 377–390**
scientific basis, *1982:* Apr., **415–423**
symposium on, *1982:* Apr., **235–423**
Behavior modification, for attention deficit disorder, *1984:* Apr., 440, 508–510
Bender Visual Motor Gestalt Test, *1984:* Apr., 292
Bends, in sports divers, *1982:* Dec., 1435–1438
Benzodiazepines, for management of chronic pain, *1984:* Oct., 1144–1146
Benzoyl peroxide, for acne, *1983:* June, 503
Beta-adrenergic agonists, for asthma, *1983:* Oct., **931–942**
Bicarbonate, in management of diabetic ketoacidosis, *1984:* June, 605
Bilirubin, interactions with drugs, *1982:* Oct., 1200
Bilirubin encephalopathy, *1982:* Oct., 1191–1194
Bilirubinometry, transcutaneous, in neonates, *1982:* Oct., 1283–1286
Biopsies, in dermatologic diagnosis, *1983:* June, 423–426
Biofeedback techniques, for headache, *1984:* Oct., 1046–1047, 1119–1125
Biotin deficiency, *1983:* Aug., 604–605
Birth injury, in infants of diabetic mothers, *1982:* Oct., 1220
Birthmarks. See also *Nevus (nevi).*
pigmented, cutaneous melanoma and, *1983:* June, **435–463**
Bites, animal, *1983:* Apr., **405–413**
arthropod, *1983:* June, 563–571
Bladder training, for enuresis, *1982:* Feb., 23; *1982:* Apr., 306
Bleeding, gingival, *1982:* June, 685–687
intracranial, as cause of apnea, *1982:* Oct., 1112
Blepharitis, *1983:* Dec., 1157
Blepharoclonus, *1983:* Dec., 1120
Blepharoptisis, *1983:* Dec., 1118–1119, 1151–1153
Blepharospasm, *1983:* Dec., 1120
Blind children, education of, *1983:* Dec., 1189–1190
Blindness, cortical, *1983:* Dec., 1104
Blistering, persistent, *1982:* Feb., 38–40
Blood, pressure. See also *Hypertension.*
measurement and interpretation, *1982:* Aug., 933–935
in evaluation of young athletes, *1982:* Dec., 1334–1337
Blood, pressure *(Continued)*
Blood chemistries, for hypertension, *1984:* Dec., 1265
Blood flow, peripheral, adaptations to polycythemia and hyperviscosity, *1982:* Oct., 1144
Bloom syndrome, *1983:* Aug., 693
Blowout fracture, of orbit, *1983:* Dec., 1171–1173
Blue nevus, differentiated from dysplastic melanocytic nevus, *1983:* June, 454
Blue rubber-bleb nevus syndrome, *1983:* June, 480–481
B lymphocytes, in lung disease, *1984:* Aug., 921
Body composition, of juvenile athletes, *1982:* Dec., **1305–1323**
Body fluids, bactericidal activity in, *1983:* Feb., 151
Boehm Test of Basic Concepts, *1984:* Apr., 294
Bohn's nodules, *1982:* June, 587
Bonding, *1982:* Apr., 250–251
of premature infants and their parents, *1982:* Oct., **1263–1273**
Bone disease, vitamin D in, *1982:* Aug., **947–972**
Bone infections, *1983:* Apr., 275–278
Bone loss, in diabetes mellitus, *1984:* June, 569–574
Bone marrow aplasia, chloramphenicol-induced, *1983:* Feb., 227–229
Bowel control, in children with myelomeningocele, *1984:* Feb., 173
Braille system, *1983:* Dec., 1189–1190
Brain, abscess, in children with cyanotic congenital heart disease, *1984:* Dec., 1376
injury, associated with intraventricular hemorrhage, *1982:* Oct., 1085–1087
Brazelton scale, for behavioral assessment, *1982:* Apr., 254
Breasts, recurrent pain in, *1984:* Oct., 1018
Breath-holding, in underwater sports, loss of consciousness and, *1982:* Dec., 1431–1432
E-5-(2-Bromovinyl)-2′-deoxyuridine, *1983:* Feb., 86
Bronchial responsiveness, *1983:* Oct., **829–846**
factors that influence, *1983:* Oct., 837
methods of measurement, *1983:* Oct., 838–843
Bronchiectasis, *1984:* Aug., **865–878**
Bronchiolitis, resulting in lung function abnormalities, *1984:* Aug., 765–766
Bronchitis, chronic, *1984:* Aug., **851–864**

Bronchography, for diagnosis of bronchiectasis, *1984:* Aug., 871–872
Bronchopulmonary aspergillosis, allergic, *1984:* Aug., 928–929
Bronchopulmonary dysplasia, *1982:* Oct., 1236
Bronchoscopes, current instrumentation, *84:* Aug., 786–787
Bronchoscopy, flexible, *1984:* Aug., **785–799**
complications, *1984:* Aug., 797–798
contraindications, *1984:* Aug., 791
indications, *84:* Aug., 790
Bruxism, *1982:* June, 523–525
Bullous disorders, chronic, *1983:* Aug., 618–629
Bunion, juvenile, in the athlete, *1984:* Oct., 1110
Buphthalmos, as sign of glaucoma, *1983:* Dec., 1045–1046
Burns, effect on drug disposition, *1983:* Feb., 97
oral, *1982:* June, 683–685
prevention, *1982:* Apr., 335–336
BVDU, *1983:* Feb., 86

CAFÉ-AU-LAIT SPOTS, *1983:* June, 441–445, 487
Caib-Levine Social Competency Scale, *1984:* Apr., 294
Calcium, in diet for renal insufficiency, *1982:* Aug., 983–985
Calorie requirements, for the newborn infant, *1982:* Oct., 1172
Caloric needs, in diabetes mellitus, calculation of, *1984:* June, 715
Camouflage preparations, for skin lesions, *1983:* Aug., 764
Campylobacter gastroenteritis, *1983:* Apr., 376–377
Cancer. See also under specific organs and regions.
childhood. See specific types.
role of pediatrician in care of, *1984:* Feb., **119–131**
technologic controversies in care of, *1984:* Feb., 261–263
Candidiasis, *1982:* June, 601–602; *1983:* June, 558–560
cutaneous, *1983:* Aug., 611–615
congenital, *1983:* Aug., 738
Captopril, nephrotoxicity of, *1982:* Aug., 786
for heart failure, *1984:* Dec., 1212
Carbenicillin, *1983:* Feb., 6–12
Carbohydrate, in meal plan for diabetes mellitus, *1984:* June, 715–716
Carbohydrate requirements, for the newborn infant, *1982: f71Oct., 1174*
Carbon, in hemoperfusion, *1982:* Aug., 1040
Carbon dioxide monitoring, transcutaneous, in neonates, *1982:* Oct., 1279–1281
Carbon monoxide poisoning, in sports divers, *1982:* Dec., 1438–1439
Carcinoma. See also specific types and under organ and regions.
basal cell, *1983:* June, 492
squamous cell, *1983:* June, 493
Cardiac. See also *Heart.*
Cardiac arrhythmias, advances in management, *1984:* Dec., **1175–1195**
Cardiac defects, hemodynamic severity, echocardiography for, *1984:* Dec., 1358–1360
Cardiac glycosides, in management of patent ductus arteriosus, *1982:* Oct., 1126
Cardiac reserve, *1984:* Dec., 1206–1209
Cardiology, primary care and, *1984:* Dec., **1367–1388**
Cardiology, symposium on, 1984: Dec., **1157–1388**
Cardiomyopathy, in diabetes mellitus, *1984:* June, 656–659
Cardiopulmonary system, adaptation to polycythemia and hyperviscosity, Oct., 1142–1143 89
Cardiovascular disorders, dental considerations, *1982:* June, 620–623
in Down syndrome, *1984:* Dec., **1331–1343**
pain associated with, *1984:* Oct., 1020–1021
Cardiovascular evaluation, of young athlete, *1982:* Dec., **1325–1339**
Cardiovascular system, in respiratory distress syndrome, *1982:* Oct., 1060
Caries, *1982:* June, 429–430
anterior proximal, *1982:* June, 449
cereal and, *1982:* June, 660
diet and, *1982:* June, 659
facial and lingual, *1982:* June, 451
hypoplasias and, *1982:* June, 452
occlusal, *1982:* June, 445–448
of restored teeth, *1982:* e, 453–454
posterior proximal, *1982:* June, 449
rampant, *1982:* June, 452, 644–647
recognition of, *1982:* e, **439–455**
recurrent, *1982:* June, 454
restorative procedures, *1982:* June, 662–663
Carpal tunnel syndrome, aited with diabetes mellitus, *1984:* June, 576
Cataracts, *1983:* Dec., **1061–1069**
congenital, unilateral, *1983:* Dec., 985–986
Catastrophic syndrome, in intraventricular hemorrhage, *1982:* Oct., 1083
Catecholamines, for heart failure, *1984:* Dec., 1214

Catheterization, cardiac, in diagnosis of patent ductus arteriosus in the premature infant, *1984:* Dec., 1163–1164
Cefaclor, *1983:* Feb., 22
Cefadroxil, *1983:* Feb., 21
Cefamandole, *1983:* Feb., 22
Cefazolin, *1983:* Feb., 21
Cefoperazone, *1983:* Feb., 24
Cefotaxime, *1983:* Feb., 23
Cefoxitin, *1983:* Feb., 22
Cefsulodin, *1983:* Feb., 24
Ceftazidime, *1983:* Feb., 24
Ceftriaxone, *1983:* Feb., 24
Cellulitis, *1983:* June, 523–524
Central nervous system, adaptation to polycythemia and hyperviscosity, *1982:* Oct., 1143
  dysfunction, behavioral disorders and, *1982:* Apr., 241, 243–244
  hyperoxia-induced lesions, *1982:* Oct., 1238
  infections, chloramphenicol for, *1983:* Feb., 211
    specimen processing, *1983:* Feb., 142
Cephalexin, *1983:* Feb., 21
Cephaloridine, *1983:* Feb., 21
Cephalosporin(s), *1983:* Feb., **17–26**, 22–23
  nephrotoxicity of, *1982:* Aug., 786
  second generation, *1983:* Feb., 22–23
  third generation, *1983:* Feb., 23–25
Cephalosporin-C, *1983:* Feb., 17
Cephalosporin-N, *1983:* Feb., 17
Cephalothin, *1983:* Feb., 21
Cephamycins, *1983:* Feb., 18–19
Cephradine, *1983:* Feb., 21
Cereal, caries and, *1982:* June, 660
Cerebral arteriography, in assessment of headache, *1984:* Oct., 1042
Cerebral blood flow, velocity measurements, in diagnosis of intraventricular hemorrhage, *1982:* Oct., 1092
Cerebral palsy, dental considerations, *1982:* June, 614
Chalazion, *1983:* Dec., 1156
Chediak-Higashi syndrome, oral lesions, *1982:* June, 607
Chemical burns, oral, *1982:* June, 685
Chemotherapy. See under specific agents.
Cherry red spot, macular, *1983:* Dec., 1118
Chest pain, cardiologic perspectives, *1984:* Dec., **1241–1258**
  noncardiac, *1984:* Dec., 1250–1253
  psychogenic, *1984:* Dec., 1252–1253
  recurrent, *1984:* Oct., **1007–1026**
Chest physiotherapy, in management of acute asthma, *1984:* Aug., 886
Chest wall syndrome, 1016
Child abuse, ocular manifestations, *1983:* Dec., 1181–1182
  retinal disorders due to, *1983:* Dec., 1097–1098
Child development, *1982:* Apr., **359–375**
  adolescent, *1982:* Apr., 368–369
  assessing, *1982:* Apr., 369–371
  delayed, intervention, *1982:* Apr., 371
  infant and early preschool, *1982:* Apr., 359–366
    pediatrician's role, *1982:* Apr., 371–373
  preschool and middle childhood, *1982:* Apr., 366–368
Child psychiatry, behavioral pediatrics and, *1982:* Apr., 392–394
Child psychology, behavioral pediatrics and, *1982:* Apr., 394–395
Children's Personal Data Inventory, for diagnosing attention deficit disorder, *1984:* Apr., 433
Chlamydia infection, in the immunocompromised host, *1983:* Feb., 117
Chlamydia trachomatis, eye infections due to, *1983:* Dec., 1034–1035
Choanal atresia, *1984:* Aug., 824
Chloramphenicol, clinical pharmacology of, *1983:* Feb., **209–236**
  for bacterial meningitis, *1983:* Apr., 259–261
Cholesterol, serum, risk of cardiovascular, disease and, *1982:* Dec., 1342–1343
Chondromalacia patella, *1982:* Feb., 215
Choroid, degenerations of, hereditary, *1983:* Dec., 1021–1022
Chromosomal disorders, ocular involvement, *1983:* Dec., 1015–1026
Chronic disease. See also under specific disorder.
  care of, controversies and technical advances, *1984:* Feb., 259–273
  children's understanding of, assessment of, *1984:* Feb., 77
  development of children with, *1984:* Feb., **19–31**
  impact on families, *1984:* Feb., **47–57**. See also under *Families*.
  in children, effect on school and peer relations, *1984:* Feb., **59–69**
    psychological assessment, *1984:* Feb., **71–86**
  incidence, changes in, *1984:* Feb., 4–6
  in pediatric practices, *1984:* Feb., 8–11
  physical and psychological assessment, *1984:* Feb., **33–45**
  prevalence and impact, *1984:* Feb., **3–18**
  survival increases, *1984:* Feb., 6
Cigarette smoke, chronic lung disease and, *1984:* Aug., 763–764, 859–860
  effect on asthma, *1984:* Aug., 762
Cilia defects, in differential diagnosis of chronic bronchitis, *1984:* Aug., 859
Circulatory abnormalities, associated with neonatal necrotizing enterocolitis, *1982:* Oct., 1155–1156
Cleansers, for skin diseases, *1983:* Aug., 753–754

Click-murmur syndrome, in cardiovascular evaluation of young athletes, *1982:* Dec., 1334–1339
Clindamycin, *1983:* Feb., **63–69**
topical, for acne, *1983:* June, 506
Clinical Evaluation of Language Functions, *1984:* Apr., 324
Clonidine, for attention deficit disorder, *1984:* Apr., 450–451
Clostridium difficile colitis, vancomycin for, *1983:* Feb., 31, 38, 41
Coagulation, disorders of. See *Hemophilia.*
Coarctation, of the aorta, balloon angioplasty for, *1984:* Dec., 1300–1302
Coats' disease, *1983:* Dec., 1096
Cockayne syndrome, *1983:* Aug., 694
Cognitive disabilities, higher order, in adolescence, *1984:* Apr., 351–352
Cognitive functioning, of the chronically ill child, assessment of, *1984:* Feb., 75
Cognitive training, for children with learning problems, *1984:* Apr., 339, 508–510
Cold-air inhalation, for measuring bronchial responsiveness, *1983:* Oct., 843
Cold injuries, in young skiers, *1982:* Dec., 1423–1426
Colic, *1984:* Oct., **993–995**
behavioral problems and, *1982:* Apr., 281, 283–284
definition, *1984:* Oct., 994–996
Colitis, antibiotic-associated, *1983:* Apr., 375–376
Collagen vascular disease, causing limb pain, 1984: Oct., 1056–1059
Coloboma, *1983:* Dec., 1088–1089, 1145–1147
Combination antimicrobial therapy, *1983:* Feb., **121–134**
Complement, in lung disease, *1984:* Aug., 922–923
Compliance, *1982:* Apr., 416–417
assessment, *1982:* Apr., 340–344
improving, *1982:* Apr., **339–357**
in chronic disorders, *1982:* Feb., 4–6
Compresses, for skin diseases, *1983:* Aug., 752
Computerized axial tomography, in assessment of headache, *1984:* Oct., 1039
Computed tomography, in diagnosis of epilepsy, *1984:* Feb., 182
in diagnosis of intraventricular hemorrhage, *1982:* Oct., 1088
Conditioning, operant, in toilet training, *1982:* Apr., 302
Conduct disorders, learning difficulties and, *1984:* Apr., 486–488
Congenital anomalies, in infants of diabetic mothers, *1982:* Oct., 1218–1220
Congenital heart disease, *1984:* Feb., **153–164**
surgery for, *1984:* Dec., **1275–1291**
Congenital heart disease *(Continued)*
technologic controversies in care of, *1984:* Feb., 266–267
Congenital infection. See specific types of infection.
Congestive heart failure, advances in management, *1984:* Dec., **1197–1227**
recognition of, *1984:* Dec., 1198
Conjunctiva, injuries to, *1983:* Dec., 1173
Conjunctivitis, allergic, cromolyn for, *1983:* Oct., 923
giant papillary, cromolyn for, *1983:* Oct., 923
silver nitrate, *1983:* Dec., 1033–1034
therapy for, *1983:* Apr., 389–392
Connective tissue disorders, causing recurrent chest pain, *1984:* Dec., 1017
Consultation, for recurrent abdominal pain, *1984:* Oct., 988
Contact lenses, in management of cataracts, *1983:* Dec., 1067
Contraception, in patients with congenital heart disease, *1984:* Dec., 1379–1380
oral, gingival conditions due to, *1982:* June, 643
Contrast agents, nephrotoxicity of, *1982:* Aug., 787
Conversion reaction pain, in back, *1984:* Oct., 1094
in limbs, *1984:* Oct., 1073
Corectopia, *1983:* Dec., 1110
Cornea, hereditary dystrophies of, *1983:* Dec., 1018–1020
infections, therapy for, *1983:* Apr., 392–393
injuries to, *1983:* Dec., 1174–1176, 1178
signs of glaucoma in, *1983:* Dec., 1044–1047
Coronary artery disease, chest pain and, *1984:* Dec., 1245–1248
in diabetes mellitus, *1984:* June, 654–655
exercise for, *1984:* June, 668–669
Cortical sensation examination, of learning-disordered children, *1984:* Apr., 305–306
Corticosteroid(s). See also *Steroids.*
for allergic disorders, *1983:* Oct., **955–971**
for chronic rhinitis, *1984:* Aug., 813–814
for immunosuppression in renal transplantation, *1982:* Aug., 1020–1022
in initial management of acute asthma, *1984:* Aug., 885–886
topical, for skin disorders, *1983:* Aug., 754–758
use by adolescent athletes, *1982:* Dec., 1367
Costochondritis, causing recurrent chest pain, *1984:* Oct., 1014–1015
Costs, for the patient with congenital heart disease, *1984:* Dec., 1384
of caring for chronically ill children, *1984:*

Costs (*Continued*)
Feb., 240–243
Cough, causing recurrent chest pain, *1984:* Oct., 1017
chronic, *1982:* Feb., **67–78**
Cough reflex, *1982:* Feb., 67
Cough suppressants, *1982:* Feb., 77
Counseling, for attention deficit disorders, *1982:* Feb., 113
for colic, *1984:* Oct., 1000–1002
for nocturnal enuresis, *1982:* Feb., 22–23
Counterregulatory hormones, role of in diabetic ketoacidosis, *1984:* June, 593–594
Cranial nerve examination, in neurologic screening of learning-disordered children, *1984:* Apr., 300
Craniofacial growth, dentition and, *1982:* June, **503–522**
Crippled Children's Service (CCS), in financing care for chronically ill children, *1984:* Feb., 246–247
Cromolyn, for asthma, *1983:* Oct., **915–930**
Cross-country skiing, pediatric aspects, *1982:* Dec., **1423–1429**
Crotamiton, for scabies, *1983:* June, 568
Croup, chronic lung disease and, *1984:* Aug., 766
spasmodic, *1984:* Aug., 915–916
Crown infraction, *1982:* June, 719
Crown fracture, *1982:* June, 719–723
Crown-root fracture, *1982:* June, 724
Crying, excessive, *1984:* Oct., **993–1005**
Cryptophthalmos, *1983:* Dec., 1145–1146
Cutaneous artifactual disease, *1983:* Aug., 659–668
Cutaneous disorders, persistent, *1982:* Feb., **37–53**
Cutaneous infections, *1983:* June, **515–532**
Cutis marmorata telangiectasia congenita, *1983:* June, 467
Cyanosis, effect on development, *1984:* Dec., 1372
Cyclacillin, *1983:* Feb., 13–14
Cycloserine, for tuberculosis, *1983:* Feb., 187
Cyclosporin A, for immunosuppression in renal transplantation, *1982:* Aug., 1024–1025
Cyproheptadine, for headache, *1984:* Oct., 1045
Cyst, eruption, *1982:* June, 593
Cystic fibrosis, *1984:* Feb., **133–152**
dental considerations, *1982:* June, 627
in differential diagnosis of chronic bronchitis, *1984:* Aug., 856
technologic controversies in care of, *1984:* Feb., 264–265
Cytodiagnosis, *1983:* June, 426–428
Cytomegalic inclusion disease, ocular findings in, *1983:* Dec., 1135–1136
retinal disorders in, *1983:* Dec., 1089
Cytomegalovirus infection, in the immunocompromised host, *1983:* Feb., 113

DACRYOCYSTITIS, *1983:* Dec., 1164–1166
Dactylitis, distal, blistering, *1983:* June, 520
Daily living tasks, of the chronically ill child, assessment of, *1984:* Feb., 74–75
Dance, sports medicine concerns, *1982:* Dec., **1399–1421**
Death, sudden, in young athletes, *1982:* Dec., 1326–1327, **1355–1362**
Decompression sickness, in sports divers, *1982:* Dec., 1435–1438
Deformations, congenital, contributing to recurrent abdominal pain, *1984:* Oct., 979
Deglutition, disorders of, pulmonary complications of, *1984:* Aug., **835–849**
Dental care, for children with congenital heart disease, *1984:* Dec., 1373–1374
Dental emergencies, *1982:* June, **681–715**
Dental lamina cysts, *1982:* June, 587
Dental problems, role of physician, *1982:* June, **429–438**
Dental trauma, *1982:* June, 433
Dental treatment, problems after, *1982:* June, 711–714
Dentifrices, *1982:* June, 658
Dentinogenesis, abnormalities of, *1982:* June, 564–574
Dentinogenesis imperfecta, *1982:* June, 590
Dentition, craniofacial growth and, *1982:* June, **503–522**
mixed, *1982:* June, 493
primary, development, *1982:* June, 486–493
Denver Developmental Screening Test, *1984:* Apr., 286
1-(2-Deoxy-2-fluoro-β-D-arabinofuranosyl)-5-idocytosine, *1983:* Feb., 87
2-Deoxy-D-glucose, *1983:* Feb., 87
Depression, *1982:* Feb., 83
childhood, academic problems associated with, *1984:* Apr., 474–477
anxiety and, *1984:* Apr., 482
assessment and evaluation, *1984:* Apr., 477–480
Dermatitis, artifactual, *1983:* Aug., **659–668**
atopic, *1982:* Feb., 50–52; *1983:* Aug., **669–685**
antihistamines for, *1983:* Oct., 908–909
corticosteroids for, *1983:* Oct., 967–968
Dermatologic disorders, recently recognized, *1983:* Aug., **735–748**
symposia on, *1983:* June, **417–596**; *1983:* Aug., **597–770**
Dermatologic infections, superficial, therapy for, *1983:* Apr., **397–404**
Dermatology, diagnostic methods, *1983:* June, **419–434**

Dermatomyositis, juvenile, pain of *1984* Oct., 1057
Dermatophyte infections, *1983:* June, 546–556
Dermatophytosis, cutaneous, *1983:* Apr., 401–402
Dermatoses, persistent, *1982:* Feb., **37–53**
Dermographism, antihistamines for, *1983:* Oct., 909
Detroit Tests of Learning Aptitude, *1984:* Apr., 292
Development, child, *1982:* Apr., **359–375**
of children with chronic illness, *1984:* Feb., **19–31,** 75–76, 191–192
of children with congenital heart disease, *1984:* Dec., 1371–1372
Developmental stage, effect on experience of pain, *1984:* Oct., 956
Developmental Test of Visual Perception, *1984:* Apr., 293
Dexamethasone Suppression Test, in medical assessment of depressed children, *1984:* Apr., 478
Dextroamphetamine, for attention deficit disorder, *1984:* Apr., 393
(S)-DHPA, *1983:* Feb., 87
Diabetes, care by the generalist and specialist, *1984:* Feb., **107–117**
maternal, effect on infant, *1982:* Oct., **1213–1231**
symposium on, 1984: June, **519–753**
technologic controversies in care of, *1984:* Feb., 261–263
Diabetes insipidus, *1982:* Aug., 917–919
nephrogenic, *1982:* Aug., 787, 896–897
Diabetes mellitus, as chronic autoimmune disease, *1984:* June, **531–543**
BB rat animal model of, *1984:* June, 537
classification, *1984:* June, 522–528
control of, criteria for rating, *1984:* June, 546–552
dental considerations, *1982:* June, 624–625
diagnosis, *1984:* June, 521–523
etiology and pathogenesis, *1984:* June, **521–530**
exercise for patient, *1984:* June, **665–673**
growth and maturation of children with, *1984:* June, **545–567**
heart and, *1984:* June, **653–663**
immunotherapy for, *1984:* June, 539–540
insulin-dependent versus non-insulin-dependent, *1984:* June, 524–526
insulin infusion pumps for, *1984:* June, **721–734**
maturity-onset, of youth (MODY), *1984:* June, 526
nutrition therapy for, *1984:* June, **711–719**
ocular findings in, *1983:* Dec., 1123–1124
pancreas transplantation for, *1984:* June, **735–750**
Diabetes mellitus *(Continued)*
predicting development of, *1984:* June, 539
psychological and family factors, *1984:* June, **689–710**
retinopathy due to, *1983:* Dec., 1092–1093
skeletal and joint manifestations, *1984:* June, **569–589**
thyroid function in, *1984:* June, **623–634**
Diagnosis, dermatologic, *1983:* June, **419–434**
for superficial fungal infections, *1983:* June, 545–546
Diagnostic microbiology, *1983:* Feb., **135–160**
Diagnostic formulation, of the child with recurrent obscure pain, *1984:* Oct., 963–964
Diagnostic techniques, noninvasive, in neonates, *1982:* Oct., **1275–1298**
Dialysis, in end-stage renal failure, *1984:* June, 643–644
peritoneal, chronic, growth of children on, *1982:* Aug., 993–994
continuous ambulatory, *1982:* Aug., **1005–1012**
Diarrhea, chronic, *1982:* Feb., 221–231
infectious, *1983:* Apr., 373–384
Diet, caries and, *1982:* June, 659
effect on cardiovascular disease, *1982:* Dec., 1344
hyperactivity and, *1984:* Apr., 461–463
influence on gastrointestinal drug absorption, *1983:* Feb., 94–95
neonatal, effect on necrotizing enterocolitis, *1982:* Oct., 1157, 1165–1167
for diabetes mellitus, *1984:* June, **711–719**
for renal insufficiency, *1982:* Aug., **973–990**
in management of attention deficit disorder, *1984:* Apr., 441
DiGeorge syndrome, in children with congenital heart disease, *1984:* Dec., 1374
Digital intravenous subtraction angiography, in assessment of headache, *1984:* Oct., 1040
Digitalis, for arrhythmias, *1984:* Dec., 1183
for heart failure, *1984:* Dec., 1214
Digit-sucking, *1982:* June, 525–530
Digoxin, for congestive heart failure, dosage regimens, *1984:* Dec., 1200
for patent ductus arteriosus in the premature infant, *1984:* Dec., 1165
(S)-9-(2,3-Dihydroxypropyl)adenine, *1983:* Feb., 87
Dilantin hyperplasia, *1982:* June, 470–471, 595–596
Diphtheroid contamination, in the immunocompromised host, *1983:* Feb., 106
Diplopia, *1983:* Dec., 1105

Directional heart rate response, *1984:* Apr., 375–377
Directionality examination, of learning-disordered children, *1984:* Apr., 306
Discipline, for toddlers, *1982:* Apr., 269
problems, in early childhood, *1982:* Feb., **167–176**
office management, *1982:* Apr., 287–291
Disclosing agents, for plaque, *1982:* June, 656–657
Disease, systemic, ocular findings in, *1983:* Dec., **1123–1144**
Diskitis, pain of, *1984:* Oct., 1063–1064, 1090–1091
Disodium cromoglycate, for chronic rhinitis, *1984:* Aug., 813
Diuretics, for congestive heart failure, dosage regimens for, *1984:* Dec., 1200
Diurnal enuresis, *1982:* Feb., **9–20**
DMSO (dimethyl sulfoxide), use by adolescent athletes, *1982:* Dec., 1366–1367
Dobutamine, for heart failure, *1984:* Dec., 1215
Dopamine, for heart failure, *1984:* Dec., 1215
pharmacology of, in attention deficit disorders, *1984:* Apr., 388–389
Doppler echocardiography, in diabetic patients, *1984:* June, 660
Double vision, *1983:* Dec., 1105
Down syndrome, cardiovascular disease in, 1984: Dec., **1331–1343**
Drainage, external ventricular, for increased pressure hydrocephalus, *1982:* Oct., 1098
Dressing problems, office management, *1982:* Apr., 277–278, 280
Drug(s). See also names and types of drugs.
biodisposition of, *1983:* Feb., 152–153
diabetogenic, *1984:* June, 527
for apnea, *1982:* Oct., 1113–1114
for attention deficit disorder, *1984:* Apr., 393–394
for chronic asthma, *1984:* Feb., 101–102
for chronic hypertension, *1984:* Dec., 1269–1271
for chronic pain, 1984: Oct., **1133–1151**
for chronic rhinitis, *1983:* Oct., 863–868
for congenital heart disease, *1984:* Feb., 161–162; *1984:* Dec., 1378
for congestive heart failure, *1984:* Dec., 1209–1218
for epilepsy, *1984:* Feb., 183–185
for glaucoma, *1983:* Dec., 105
for headache, *1984:* Oct., 1043–1045
for IgE-mediated hypersensitivity, *1983:* Oct., 780–782
for neonatal hyperkalemia, *1982:* Aug., 797
for normal pressure hydrocephalus, *1982:* Oct., 1096–1098
Drug(s) *(Continued)*
for patent ductus arteriosus, *1982:* Oct., 1126–1128
for respiratory distress syndrome, *1982:* Oct., 1062–1063
for suppression of skin tests, *1983:* Oct., 788
in pediatric dental management, *1982:* June, 751
interactions with bilirubin, *1982:* Oct., 1200
misuse, by adolescent athletes, *1982:* Dec., **1363–1368**
monitoring, in infectious disease, *1983:* Feb., 151–152
role of laboratory, *1983:* Feb., 154–155
topical, for skin diseases, *1983:* Aug., **749–765**
urticaria due to, *1983:* Oct., 890–891
Ductus arteriosus, patent. See *Patent ductus arteriosus.*
Dupuytren's contracture, associated with diabetes mellitus, *1984:* June, 575
Dyscoria, *1983:* Dec., 1110
Dysfunctional uterine bleeding, *1982:* Feb., 186–188
Dyslexia, *1983:* Dec., 1195–1200
Dysmenorrhea, *1982:* Feb., 188–191
Dysmetria, ocular, *1983:* Dec., 1115
Dysphagia, pulmonary complications of, *1984:* Aug., 835–849
Dysphoria, stimulant-related, in hyperactive children, *1984:* Apr., 407–409
Dysrhythmia, chest pain and, *1984:* Dec., 1248–1250
exercise recommendations, *1984:* Dec., 1313

EAR, middle, disease of, *1983:* Apr., **281–296**
Ear squeeze, in underwater sports, *1982:* Dec., 1433–1434
Eccrine poroma, *1983:* June, 491
Echocardiography, for congenital heart disease, *1984:* Feb., 158–161
for diabetic patients, *1984:* June, 660
for hypertension, *1984:* Dec., 1265
for patent ductus arteriosus, *1982:* Oct., 1121–1125
in the premature infant, *1984:* Dec., 1162–1163
use and abuse, *1984:* Dec., **1345–1366**
Ecthyma, *1983:* June, 519
Ectodermal dysplasia, dental considerations, *1982:* June, 615
Ectopic ureter, enuresis with, *1982:* Feb., 9
Ectropion, congenital, *1983:* Dec., 1147–1148
Eczema, phototherapy for, *1983:* Aug., 705–709

Education, in improving compliance, *1982:* Apr., 344–346, 354
in preventing injuries, *1982:* Apr., **331–338**
of children with learning problems, *1984:* Apr., **331–343**
administrative and physical arrangement, *1984:* Apr., 340–341
Educational assessment, of children with learning disorders, *1984:* Apr., **281–296**
Educational material, in nutrition therapy for diabetes mellitus, *1984:* June, 717
Education of All Handicapped Children Act, (P.L. 94-142), *1984:* Feb., 221–222; *1984:* Apr., 281
Effusions, middle ear, *1983:* Apr., 291–292
Ehlers-Danlos syndrome, dentin defects in, *1982:* June, 572
Elbow, injuries, in gymnastics, *1982:* Dec., 1406–1407
pain in, from sports injuries, *1984:* Oct., 1100–1101
Electrical burns, oral, *1982:* June, 683–685
Electrocardiography, in diagnosis of congenital heart disease, *1984:* Feb., 155–158
transtelephonic, for cardiac rhythm disorders, *1984:* Dec., 1175–1177
Electrode catheter, in diagnosis of dysrhythmias, *1984:* Feb., 155–156
Electroencephalography, in assessment of headache, *1984:* Oct., 1039–1040
in diagnosis of epilepsy, *1984:* Feb., 179–181
Electrolytes. See also under *Fluid*, and specific electrolytes.
Electrolyte losses, in diabetic ketoacidosis, *1984:* June, 596–599
requirements, for newborn infant, *1982:* Oct., 1177–1178
Electrophysiologic study, of cardiac arrhythmias, *1984:* Dec., 1185–1190
Embolism, air, in scuba divers, *1982:* Dec., 1434–1435
Emotional disorders, abdominal pain associated with, *1984:* Oct., 982–983
chest pain associated with, 1984: Oct., 1023–1024
Emotional disturbance, definitions, *1984:* Apr., 333–334
Emotionally disturbed children, educational characteristics, *1984:* Apr., 337–338
Enamel hypoplasia, *1982:* June, 560–564
Encopresis, *1982:* Apr., **315–330**
Endocardial cushion defect, *1984:* Dec., 1278
in Down syndrome, *1984:* Dec., 1332–1336
Endocarditis, infectious, *1983:* Apr., **349–364**
prophylaxis, *1984:* Dec., 1372–1373, 1375–1376
Endocrine disorders. See also specific disorders.
causing limb pain, *1984:* Oct., 1068
effect on drug disposition, *1983:* Feb., 95–96
dental considerations, *1982:* June, 624–626
Endophthalmitis, therapy for, *1983:* Apr., 394
Endoscopy, of pediatric airway, *1984:* Aug., 823. See also *Bronchoscopy flexible.*
Endotoxin, associated with neonatal necrotizing enterocolitis, *1982:* Oct., 1158–1159
End-stage renal failure, management, *1984:* June, 643–644
Energy malnutrition, interference with growth, *1982:* Aug., 997
Enterobacter infection, in an immunosuppressed host, *1983:* Feb., 105
Enterococci infection, combination therapy for, *1983:* Feb., 123
endocarditis due to, anti-infective therapy for, *1983:* Apr., 356–358
Enterocolitis, neonatal necrotizing, *1982:* Oct., **1149–1170**; *1983:* Apr., 251
Entropion, congenital, *1983:* Dec., 1148–1149
Enuresis, *1982:* Apr., 307–311
daytime, *1982:* Feb., **9–20**
nocturnal, *1982:* Feb., **21–36**
alarms for, *1982:* Feb., 24–27, 31
medications for, *1982:* Feb., 27–28
parent instructions for, *1982:* Feb., 31–35
Environment, psychosocial, colic and, *1984:* Oct., 998
recurrent abdominal pain and, *1984:* Oct., 982–983
Ephelides, *1983:* June, 454–456, 485
Epiblepharon, *1983:* Dec., 1149
Epicanthus, *1983:* Dec., 1149–1151
Epicillin, *1983:* Feb., 14
Epidermal nevus syndrome, *1983:* June, 485
Epidermolysis bullosa, *1982:* Feb., 38–40; *1982:* June, 603–604; *1983:* Aug., 618–626
Epilepsy, *1984:* Feb., **177–188**
technologic controversies in care of, *1984:* Feb., 268
Epinephrine, for asthma, *1983:* Oct., 934, 936
for heart failure, *1984:* Dec., 1214
Ergonovine maleate, for headache, *1984:* Oct., 1045
Epstein's pearls, *1982:* June, 587
Epulis, congenital, *1982:* June, 587–589
Ergotamines, *1982:* Feb., 89
Erikson, Erik, stages of development, chronically ill children and, *1984:* Feb., 20–30

Eruption abnormalities, *1982:* June, 572–573, 689–694
Eruption cyst, *1982:* June, 593
Eruption gingivitis, in adolescence, *1982:* June, 640–641
Erysipelas, *1983:* June, 519
Erythema multiforme, *1983:* Aug., **631–640**
  oral lesions, *1982:* June, 608
Erythema toxicum, *1983:* Aug., 615–616
Erythromycin, *1983:* Feb., **63–69**
  for ophthalmia neonatorum, *1983:* Dec., 1037
  zinc, topical, for acne, *1983:* June, 506–508
Escherichia coli, gastrointestinal infection due to, *1983:* Apr., 377–378
  pyelonephritogenic, specific cell receptor for, *1982:* Aug., 806–808
Escherichia coli infection, in an immunosuppressed host, *1983:* Feb., 104
Esophageal atresia, tracheoesophageal fistula and, *1984:* Aug., 843–845
Esophageal disorders, causing chest pain, *1984:* Oct., 1021
  iatrogenic complications, *1984:* Aug., 847–848
  pulmonary complications, *1984:* Aug., **835–849**
Esotropia, *1983:* Dec., 1005–1007
Essential tremor, *1982:* Feb., 102
Ethambutol, clinical pharmacology of, *1983:* Feb., 184–185
Ethnic groups, differences in experience of pain, *1984:* Oct., 954–955
Euryblepharon, *1983:* Dec., 1149
Evoked potentials, in diagnosis of intraventricular hemorrhage, *1982:* Oct., 1091–1092
  of infant vision, *1983:* Dec., 981–983
Exarticulation, of teeth, *1982:* June, 729–731
Exercise, bronchial provocation, *1984:* Aug., 779
  cardiovascular adaptation to, in heart disease, *1984:* Dec., 1310–1314
  effect on risk for atherosclerosis, *1982:* Dec., **1341–1354**
  effect on serum lipids and lipoprotein levels, *1982:* Dec., 1348–1350
  electrocardiogram, in diagnosis of congenital heart disease, *1984:* Feb., 157
  fainting during, *1982:* Dec., 1327
  for the diabetic patient, *1984:* June, **665–673**
Exercise testing, for measuring bronchial responsiveness, *1983:* Oct., 842–843
  for the child with heart disease, *1984:* Dec., 1314–1315
Exfoliation, of teeth, problems, *1982:* June, 695–699
Exophthalmos, extraocular tumors and, *1983:* Dec., 1079–1081
Exotropia, *1983:* Dec., 1007–1008
Expectorants, *1982:* Feb., 77
Eyberg Child Behavior Inventory, *1982:* Apr., 276
Eye, chemical burns of, *1983:* Dec., 1177–1178
  disease, genetic basis of, *1983:* Dec., **1015–1031**
  disorders, in multisystem syndromes, *1983:* Dec., 1023–1026
    symposium on, *1983:* Dec., **975–1200**
  examination, in infants and children, by pediatrician, *1983:* Dec., **995–1002**
  foreign bodies in, *1983:* Dec., 1181
  infections, due to *Chlamydia trachomatis*, *1983:* Dec., 1034–1035
    due to herpes simplex, *1983:* Dec., 1037–1039
    staphylococcal, *1983:* Dec., 1035
    therapy for, *1983:* Apr., **389–396**
  involvement of in systemic disease, *1983:* Dec., **1123–1144**
  movement, disorders of, *1983:* Dec., 1110–1115
  trauma to, *1983:* Dec., **1167–1183**
Eyelid(s), abnormalities of, neurologic, *1983:* Dec., 1118–1120
  disorders of, *1983:* Dec., **1145–1158**
  malformations, genetic basis, *1983:* Dec., 1017
  trauma to, *1983:* Dec., 1170–1171

FACIAL BONES, injuries to, *1982:* June, 735–738
Failure to thrive, *1982:* Feb., **151–166**
Family (families), functioning of, in the history of the child with recurrent obscure pain, *1984:* Oct., 961–962
  of children with chronic disease, *1984:* Feb., **47–57**, 190–191
    psychosocial functioning, *1984:* Feb., 78–82
  screening, behavioral disorders and, *1982:* Apr., 244–245
Family factors, in diabetes mellitus, *1984:* June, **689–710**
Fanconi syndrome, *1982:* Aug., 903–905
  vitamin D therapy for, *1982:* Aug., 959
Fat, in meal plan for diabetes mellitus, *1984:* June, 716
  requirements, for newborn infant, *1982:* Oct., 1176–1177
Fathers, of chronically ill children, *1984:* Feb., 52–53
Fatigue, causing recurrent chest pain, *1984:* Oct., 1015–1016
Feeding, technique problems, as cause of colic, *1984:* Oct., 996–997
Fenoterol, for asthma, *1983:* Oct., 934–935, 938

Fever, effect on antimicrobial response, *1983:* Feb., 99
persistent, *1982:* Feb., 201–208
FIAC, *1983:* Feb., 87
Fibromatosis gingiva, *1982:* June, 595
Fibromyalgia, *1984:* Oct., 1069–1071
Fibroplasia, retrolental, glaucoma due to, *1983:* Dec., 1055
Fibrosis, cystic, *1984:* Feb., **133–152**
Financing, of care for chronically ill children, *1984:* Feb., 243–248
Finger gnosis tests, for learning-disordered children, *1984:* Apr., 306
Fingernail-biting, *1982:* June, 532–533
Finger-sucking, *1982:* June, 525–530
Fleas, bites from, *1983:* June, 575
Flexor tenosynovitis, associated with diabetes mellitus, *1984:* June, 575
Flossing, *1982:* June, 655–656
Flow rates, in pulmonary function testing, *1984:* Aug., 774–775
Flucytosine, *1983:* Feb., 55–56
Fluid and electrolyte losses, in diabetic ketoacidosis, *1984:* June, 596–599
Fluid management, in children with bacterial meningitis, *1983:* Apr., 264–265
Fluid requirements, for newborn infant, *1982:* Oct., 1173–1174
Fluid restriction, in management of patent ductus arteriosus, *1982:* Oct., 1126
Fluid therapy, in management of acute asthma, *1984:* Aug., 886
Fluoride, *1982:* June, 661–662, **669–680**
Fluorosis, enamel defects due to, *1982:* June, 563
Folliculitis, *1983:* June, 524–525
Fontan operation, for triscuspid atresia, *1984:* Dec., 1287
Food allergy, urticaria due to, *1983:* Oct., 891
Foot, dermatitis of, *1982:* Feb., 48
pains in, from sports injuries, *1984:* Oct., 1107–1110
Foreign body aspiration, *1984:* Aug., **937–941**
problems, in dancers and gymnasts, *1982:* Dec., 1413–1415
Foreign bodies, ocular, *1983:* Dec., 1181
bronchoscopy for, *1984:* Aug., 794–795, 939–940
in differential diagnosis of chronic bronchitis, *1984:* Aug., 857–858
Foreign language disabilities, in adolescence, *1984:* Apr., 360
Fracture, blowout, of orbit, *1983:* Dec., 1171–1173
stress, *1984:* Oct., 1106–1107
causing recurrent chest pain, *1984:* Oct., 1015–1016
in dancers and gymnasts, *1982:* Dec., 1415
Fracture *(Continued)*
in young athletes, *1982:* Dec., 1373–1374
Freckles, *1983:* June, 454–456, 485
Frey's syndrome, *1983:* Aug., 745–746
Friedrich's ataxia, learning problems and, *1984:* Apr., 310
Frostbite, in young skiers, *1982:* Dec., 1423–1426
Fundus, ocular, abnormalities, *1983:* Dec., 1115–1118
Fungal cultures, in dermatologic diagnosis, *1983:* June, 420–423
Fungal endocarditis, *1983:* Apr., 360
Fungal infections, chemotherapy for, *1983:* Feb., **49–61**
in the immunocompromised host, *1983:* Feb., 114–116
of scalp, *1982:* Feb., 37
superficial, *1983:* June, **545–561**
Furunculosis, *1983:* June, 524–525

GALACTOSEMIA, ocular findings in, *1983:* Dec., 1124–1125
Gamma benzene hexachloride, for scabies, *1983:* June, 566–567
Gastric distension, chest pain associated with, *1984:* Oct., 1022
Gastroesophageal reflux, acute pulmonary disease and, *1984:* Aug., 841–842
asthma and, *1984:* Aug , 763
chest pain associated with, *1984:* Oct., 1021–1022
nocturnal aspiration and, *1984:* Aug., 914–915
Gastrointestinal allergy, cromolyn for, *1983:* Oct., 925
Gastrointestinal dysfunctions, contributing to recurrent abdominal pain, *1984:* Oct., 972–975
Gastrointestinal infections, *1983:* Apr., **373–388**
Gastrointestinal tract. See also specific areas.
adaptations to polycythemia and hyperviscosity, *1982:* Oct., 1143–1144
infections, specimen processing, *1983:* Feb., 142
Gate control theory, of pain, *1984:* Oct., 953
Genetic counseling, for patients with congenital heart disease, *1984:* Dec., 1380–1381
Genetic disease, causing chronic lung disease, *1984:* Aug., 758–759
Genetics, in pediatric ophthalmology, *1983:* Dec., **1015–1031**
Genital tract, infections, specimen processing, *1983:* Feb., 142
Genitourinary abnormalities, in children with myelomemingocele, *1984:* Feb., 172–173

Gentamicin, nephrotoxicity of, *1982:* Aug., 786
Gesell Developmental Screening Inventory, *1984:* Apr., 286
Giggle incontinence, *1982:* Feb., 10
Gingival bleeding, *1982:* June, 685–687
Gingivitis, *1982:* June, 431–432, 459–461
acute necrotizing ulcerative, *1982:* June, 468–469
in adolescence, *1982:* June, 642
adolescent, *1982:* June, 641–642
eruption, *1982:* June, 463, 640–641
puberty, *1982:* June, 463
Gingivostomatitis, herpetic, *1982:* June, 604–605
Glaucoma, *1983:* Dec., **1043–1060**
secondary, *1983:* Dec., 1053–1055
Glomerular filtration rate, maturation of, *1982:* Aug., 777–780
Glomerulonephritis, acute, *1982:* Aug., **857–873**
immune-complex-mediated, *1982:* Aug., 859–863
poststreptococcal, *1982:* Feb., 55; *1982:* Aug., 863–871
Glomerulosclerosis, *1982:* Aug., 886–889
in diabetes mellitus, *1984:* June, 637–641
Glossitis, migratory, *1982:* June, 601
Glucocorticosteroids, adverse effects, *1983:* Oct., 959–962
for allergic disorders, *1983:* Oct., **955–971**
topical, for skin disorders, *1983:* Aug., 754–758
Glucose regulation, in uremic diabetics, *1984:* June, 646–648
Glycosides, cardiac, for patent ductus arteriosus in the premature infant, *1984:* Dec., 1165
Glycosylation of proteins, in control of diabetes mellitus, *1984:* June, **611–621**
Goniotomy, for glaucoma, *1983:* Dec., 1050
Goodenough-Harris Drawing Test, *1984:* Apr., 294
Goodpasture syndrome, *1984:* Aug., 929
Gorlin syndrome, *1983:* June, 492–493
Granuloma, pyogenic, *1983:* June, 476
Growing pains, *1982:* Feb., 214; *1984:* Oct., 1071–1073
Growth, and maturation, of children with diabetes, mellitus, *1984:* June, **545–567**
craniofacial, dentition and, *1982:* June, **503–522**
in renal insufficiency, *1982:* Aug., **991–1001**
in renal transplant recipients, *1982:* Aug., 1032
failure, in congenital heart disease, *1984:* Dec., 1370–1371
Gum boil. *1982:* June, 592–593
Gunther disease, *1983:* Aug., 688
Gymnastics, sports medicine concerns, *1982:* Dec., **1399–1421**
Gymnasts, female, anthropometric and body composition characteristics, *1982:* Dec., 1316
Gynecologic conditions, contributing to recurrent abdominal pain, *1984:* Oct., 980
Gynecomastia, pain from, *1984:* Oct., 1018

HAIR, kinking, acquired progressive, *1983:* Aug., 655
loss of, *1983:* Aug., **641–657**
spun glass, *1983:* Aug., 654
Hair casts, *1983:* Aug., 655
Hair shaft, defects of, *1983:* Aug., 650–651
Halitosis, *1982:* June, 688
Hallervorden-Spatz disease, learning problems and, *1984:* Apr., 311
Hallucinations, neuro-ophthalmologic aspects, *1983:* Dec., 1105
Halo nevus, *1983:* June, 456–457
Hand, foot, and mouth disease, oral lesions, *1982:* June, 606
Hand, joint syndromes involving, in diabetes mellitus, *1984:* June, 572, 575–585
H1 antihistamines. See *Antihistamines, H1.*
Hartnup disease, *1983:* Aug., 603–604
Headache, *1982:* Feb., **79–94**
behavioral management, *1984:* Oct., 1118–1125
chronic and recurrent, *1984:* Oct., **1027–1051**
evaluation of, *1982:* Feb., 85–88
treatment of, *1982:* Feb., 89–91
types of, *1982:* Feb., 79–84
Head wrapping, in management of normal pressure hydrocephalus, *1982:* Oct., 1098
Health education, in preventing injuries, *1982:* Apr., **331–338**
Heart, diabetes mellitus and, *1984:* June, **653–663**
Heart disease, congenital, *1984:* Feb., **153–164**
in differential diagnosis of chronic bronchitis, *1984:* Aug., 858
surgery for, 1984: Dec., **1275–1291**
technologic controversies in care of, *1984:* Feb., 266–267
Heart failure, congestive, advances in management, *1984:* Dec., **1197–1227**
recognition of, *1984:* Dec., 1198
Heart murmurs, benign versus pathologic, *1984:* Dec., **1229–1240**
in patent ductus arteriosus of the premature infant, *1984:* Dec., 1160
in young athletes, evaluation of, *1982:* Dec., 1325–1334
Heart rate variability, attention and, *1984:* Apr., 377–378
Heel, pain in, from sports injuries, *1984:* Oct., 1107–1110

Helminths, *1983:* June, 578–580
Hemangioma, *1982:* Feb., 45; *1982:* June, 600; *1983:* June, 470–476
subglottic, *1984:* Aug., 828–829
Hemangiomatosis, neonatal, diffuse, *1983:* June, 481
Hematologic diseases, associated with recurrent abdominal pain, *1984:* Oct., 980
causing limb pain, *1984:* Oct., 1068
Hematuria, *1982:* Feb., **55–61**
Hemianopsia, *1983:* Dec., 1107
Hemodialysis, in end-stage renal failure, *1984:* June, 643–644
Hemodialysis, maintenance, growth of children on, *1982:* Aug., 993
Hemofiltration, in end-stage renal failure, *1984:* June, 644
Hemoglobin A1, *1984:* June, 616
Hemoglobin A1c, *1984:* June, 616
Hemolytic-uremic syndrome, *1982:* Aug., **835–856**
Hemoperfusion, *1982:* Aug., **1039–1052**
Hemophilia, costs of care, *1984:* Feb., 243
Hemophiliacs, limb pain in, *1984:* Oct., 1068
Hemophilus influenzae, pneumonia due to, antimicrobial therapy for, *1983:* Apr., 309
Hemophilus influenzae infection, combination antimicrobial therapy for, *1983:* Feb., 126–127
Hemorrhage, intraventricular, in the premature infant, *1982:* Oct., **1077–1104**
Hemostasis problems, dental considerations, *1982:* June, 616–618
Henoch-Schönlein purpura, *1982:* Feb., 57
Hepatic disease, effect on drug disposition, *1983:* Feb., 96
Hepatic dysfunction, dental considerations, *1982:* June, 628
Hepatic encephalopathy, hemoperfusion in, *1982:* Aug., 1048–1049
Hepatitis, viral, in the immunocompromised host, *1983:* Feb., 113–114
Hernia, hiatal, chest pain associated with, *1984:* Oct., 1022
Herpangina, oral lesions, *1982:* June, 606
Herpes simplex infections, cutaneous, *1983:* June, 529
eyelid involvement, *1983:* Dec., 1158
in the immunocompromised host, *1983:* Feb., 112
ocular, *1983:* Dec., 1037–1039, 1132
retinitis due to, *1983:* Dec., 1089
Herpes zoster infection, causing recurrent chest pain, *1984:* Oct., 1017–1018
eyelid involvement, *1983:* Dec., 1158
ocular, *1983:* Dec., 1133
Herpetic gingivostomatitis, *1982:* June, 604–605
Herpigon, *1983:* Feb., 87
High frequency ventilation, for respiratory distress syndrome, *1982:* Oct., 1066–1067
Hip, pain in, from sports injuries, *1984:* Oct., 1101–1102
von Hippel-Lindau disease, ocular lesions in, *1983:* Dec., 1118
Hippus, *1983:* Dec., 1108
Histamine, *1983:* Oct., 899–900
Histiocytosis X, oral lesions, *1982:* June, 610
Hives, *1983:* Oct., **887–897**
Holter monitor, in diagnosis of congenital heart disease, *1984:* Feb., 156–157
Home care programs, for care of chronically ill children, *1984:* Feb., 238–239
Home safety, education for, *1982:* Apr., 334–335
Home visits, for children with psychiatric problems, *1984:* Apr., 506–507
Homocystinuria, *1983:* Aug., 602–603
glaucoma associated with, *1983:* Dec., 1058
ocular findings in, *1983:* Dec., 1125
Hordoleum, *1983:* Dec., 1156–1157
Hormonal disturbances, interference with growth, *1982:* Aug., 996–997
Hormone(s). See specific hormones.
Horner syndrome, pupillomotor defects in, *1983:* Dec., 1109
Hospitalization, for psychosomatic complaints, *1982:* Feb., 6
of pediatric dental patient, *1982:* June, 754
psychiatric, for attention deficit disorder, *1984:* Apr., 506
Host factors, affecting response to antimicrobial therapy, *1983:* Feb., 93–102
H1 receptors, for chronic rhinitis, *1984:* Aug., 812
Huntington's chorea, juvenile, learning problems and, *1984:* Apr., 309
Hyaline membrane disease, *1982:* Oct., **1057–1075**
chronic lung disease and, *1984:* Aug., 766
Hydralazine, for heart failure, *1984:* Dec., 1212
Hydroa vacciniforme, *1983:* Aug., 697
Hydrocephalus, in children with myelomeningocele, *1984:* Feb., 170–171
Hydrocarbon ingestion, chronic lung disease and, *1984:* Aug., 766
Hydrocephalus, prevention and treatment, in management of intraventricular hemorrhage, *1982:* Oct., 1095–1100
Hymenoptera allergy, *1983:* Oct., **873–886**
Hyperactivity, attention deficit disorder and, *1984:* Apr., **397–427**
children with, behavioral intensity of, *1984:* Apr., 404–405
peer assessment, *1984:* Apr., 406
problem-solving activities of, *1984:*

Hyperactivity *(Continued)*
Apr., 401–404
diet and, *1984:* Apr., 461–463
nonpharmacologic treatments, *1984:* Apr., 418–421
Hyperbilirubinemia, neonatal, *1982:* Oct., **1191–1203**
associated with diabetic mother, *1982:* Oct., 1225–1226
long-term outcome, *1982:* Oct., 1201
Hyperdontia, *1982:* June, 556
Hyperinsulinism, in infants of diabetic mothers, *1982:* Oct., 1216–1218
Hyperkalemia, neonatal, drug therapy for, *1982:* Aug., 797
Hypernatremia, *1982:* Aug., 914–922
Hyperplasia, Dilantin, *1982:* June, 470–471, 595–596
focal epithelial, *1982:* June, 597
idiopathic familial, *1982:* June, 471
Hypersensitivity, IgE-mediated, *1983:* Oct., 774–775
immunotherapy for, *1983:* Oct., 780–782
Hypersensitivity pneumonitis, *1984:* Aug., 929–931
Hypersensitivity reactions, in lung disease, *1984:* Aug., 923–925
Hypertension, *1982:* Aug., **933–945**; *1984:* Dec., **1259–1273**
categorization, *1984:* Dec., 1267
chronic, *1984:* Dec., 1268–1271
effect on cardiovascular disease, *1982:* Dec., 1344
essential, *1984:* Dec., 1261–1262
in diabetes mellitus, *1984:* June, 642–643
in evaluation of young athletes, *1982:* Dec., 1334–1337
interference with growth, *1982:* Aug., 995
pulmonary artery, in Down syndrome, *1984:* Dec., 1337–1339
secondary, *1984:* Dec., 1262–1263
Hypertensive crises, *1984:* Dec., 1268
Hypertriglyceridemia, in diabetes mellitus, nutrition therapy for, *1984:* June, 717
Hypertrophic obstruction cardiomyopathy, in cardiovascular evaluation of young athletes, *1982:* Dec., 1330–1334
Hyperventilation, causing chest pain, 1984: Oct., 1024
Hyperviscosity, polycythemia and, neonatal, *1982:* Oct., **1137–1148**
Hyphema, glaucoma due to, *1983:* Dec., 1053–1054
traumatic, *1983:* Dec., 1179–1180
Hypocalcemia, in infants of diabetic mothers, *1982:* Oct., 1223–1225
Hypoglycemia, in infants of diabetic mothers, *1982:* Oct., 1222–1223
in young cross-country skiers, *1982:* Dec., 1427
Hypoglycemia diets, in behavior and learning problems, *1984:* Apr., 466–467
Hypomagnesemia, in infants of diabetic mothers, *1982:* Oct., 1223–1225
Hyponatremia, *1982:* Aug., 922–929
in children with bacterial meningitis, *1983:* Apr., 264
Hypophosphatemic rickets, familial, *1982:* Aug., 957–959
primary, *1982:* Aug., 902–903
Hypoplasia, optic nerve, *1983:* Dec., 1117
Hypoplastic left heart syndrome, surgery for, *1984:* Dec., 1289
Hypothalamic-pituitary-thyroid axis, in diabetics without ketoacidosis, *1984:* June, 627–629
Hypothermia, in young skiers, *1982:* Dec., 1425
Hypothyroidism, neonatal, *1982:* Oct., **1205–1211**
Hypoxemia, sleep, and chronic lung disease, *1984:* Aug., 916

IDENTITY issues, for the chronically ill adolescent, *1984:* Feb., 216–218
IgE, synthesis and regulation, *1983:* Oct., 775–780
IgE antibody response, control of, *1983:* Oct., **773–784**
IgE-mediated disease, skin testing for, *1983:* Oct., **785–793**
Illinois Test of Psycholinguistic Abilities, *1984:* Apr., 293
Imidazoles, *1983:* Feb., 52–55
Imipramine (Tofranil), for enuresis, *1982:* Feb., 27; *1982:* Apr., 308
Immunizations, for children with congential heart disease, *1984:* Dec., 1373–1374
Immunodeficiency, in differential diagnosis of chronic bronchitis, *1984:* Aug., 859
Immunologic abnormalities, in diabetes mellitus, *1984:* June, **531–543**
Immunologic disorders, dental considerations, *1982:* June, 626
Immunology, acne and, *1983:* June, 512–513
of lung disease, *1984:* Aug., **919–936**
Immunosuppressed host, infections of, treatment and prevention, *1983:* Feb., 103–120
Immunotherapy, for chronic rhinitis, *1983:* Oct., 868–869; *1984:* Aug., 814–815
for diabetes mellitus, *1984:* June, 539–540
for IgE-mediated hypersensitivity, *1983:* Oct., 780–782
for neonatal septicemia, *1983:* Apr., 253–254
venom, for insect sting allergy, *1983:* Oct., 880–882
Impetigo, *1983:* Apr., 397–401; *1983:* June, 515–518

Impetigo *(Continued)*
eyelid involvement, *1983:* Dec., 1157
Impetigo neonatorum, *1983:* Aug., 616–617
Impingement syndrome, in shoulders of swimmers, 1098–1100
Incontinence. See *Enuresis.*
Independence issues, for the chronically ill adolescent, *1984:* Feb., 212–214
Indomethacin, for patent ductus arteriosus in the premature infant, *1982:* Oct., 1126–1130; *1984:* Dec., 1166–1168
nephrotoxicity of, *1982:* Aug., 786
Infant(s). See also *Neonate(s).*
capabilities of, *1982:* Apr., 252–254
colic in, *1984:* Oct., **993–1005**
cough in, *1982:* Feb., 69, 74
failure to thrive in, *1982:* Feb., **151–166**
motor delay in, *1982:* Feb., **137–149**
of diabetic mother, *1982:* Oct., **1213–1231**
premature, apnea in, *1982:* Oct., **1105–1116**
intraventricular hemorrhage in, 1982: Oct., **1077–1104**
patent ductus arteriosus in, *1982:* Oct., **1117–1136**; *1984:* Dec., **1159–1174**
stimulation of, *1982:* Oct., 1265–1267
thyroid function in, *1982:* Oct., **1205–1211**
relationship with parent, *1982:* Apr., **249–260**
Infection. See also specific disorder, e.g., *Urinary Tract Infection.*
causing limb pain, 1984: Oct., 1060–1064
chronic, contributing to recurrent abdominal pain, *1984:* Oct., 978–979
cutaneous, *1983:* June, **515–532**
fungus, of scalp, *1982:* Feb., 37
in children with congenital heart disease, *1984:* Dec., 1374–1375
in differential diagnosis of chronic bronchitis, *1984:* Aug., 858–859
serologic diagnosis of, *1983:* Feb., 156–157
therapy for, symposia on, *1983:* Feb., **1–239**; *1983:* Apr., **241–416**
urticaria due to, *1983:* Oct., 889–890
Infectious disease, ocular findings in, *1983:* Dec., 1131–1140
Inflammation, effect on antimicrobial response, *1983:* Feb., 99
Inflammatory disease, causing lung disease, *1984:* Aug., 759
Influenza infection, in the immunocompromised host, *1983:* Feb., 113
Injuries, prevention, education in, *1982:* Apr., **331–338**
Inosiplex, *1983:* Feb., 83
Insect sting allergy, *1983:* Oct., **873–886**
Insulin, allergy to, *1984:* June, **675–687**
in management of diabetic ketoacidosis, *1984:* June, 603–605
Insulin *(Continued)*
role of in diabetic ketoacidosis, *1984:* June, 592–593
Insulin infusion pump, in treatment of diabetes mellitus, *1984:* June, **721–734**
Insurance, private health care, for financing care of chronically ill children, *1984:* Feb., 244–245
Intelligence tests, *1984:* Apr., 287–288
Intensive care, of critically ill asthmatic child, *1984:* Aug., 887–888
Interstitial pulmonary fibrosis, *1984:* Aug., 931
Intestinal dysfunction, associated with neonatal necrotizing enterocolitis, *1982:* Oct., 1156–1157
Intraventricular hemorrhage, in premature infant, *1982:* Oct., **1077–1104**
Intrinsic acute renal failure, in neonate, *1982:* Aug., 792–796
Iodides, *1983:* Feb., 57
5-Iodo-2′-deoxyuridine, *1983:* Feb., 78
Iris, malformations, hereditary, *1983:* Dec., 1020
Islet transplantation, in diabetes mellitus, *1984:* June, 735–748
Isoetharine, for asthma, *1983:* Oct., 938
Isoniazid, clinical pharmacology of, *1983:* Feb., 177–180
for tuberculosis, *1983:* Apr., 334–347
Isoprinosine, *1983:* Feb., 83
Isoproterenol, for asthma, *1983:* Oct., 936–938
for heart failure, *1984:* Dec., 1215

JAUNDICE, neonatal, *1982:* Oct., 1191–1201
breast-feeding and, *1982:* Oct., 1197–1198
persistent, *1982:* Oct., 1198–1199
Jaw wink syndrome, *1983:* Dec., 1108–1109, 1153–1155
Joint infections, *1983:* Apr., 275–278
Joint syndromes, involving the hand, in diabetes mellitus, *1984:* June, 572, 575–585
Juvenile rheumatoid arthritis, ocular findings in, *1983:* Dec., 1129–1131
pain of, *1984:* Oct., 1056–1057
Juvenile spring eruption, *1983:* Aug., 694

KASABACH-Merritt syndrome, *1983:* June, 479–480
Kaufman Assessment Battery for Children, *1984:* Apr., 294
Kawasaki disease, *1983:* June, 537–542
cardiovascular complications of, *1984:* Dec., **1321–1329**
Keratinization, follicular, abnormal, in etiology of acne, *1983:* June, 513

Keratoacanthoma, *1983:* June, 493
Keratoconjunctivitis, vernal, cromolyn for, *1983:* Oct., 922
Kernicterus, *1982:* Oct., 1191–1194
Ketoacidosis, diabetes without, hypothalamic-pituitary-thyroid axis in, *1984:* June, 627–629
thyroid function in, *1984:* June, 626–627
diabetic, *1984:* June, **591–610**
complications, *1984:* June, 605–608
thyroid function and hormone metabolism in, *1984:* June, 624–626
Ketoconazole, *1983:* Feb., 54–55
Ketogenesis, hormonal regulation of, *1984:* June, 594–595
Ketone bodies, in diabetic ketoacidosis, *1984:* June, 595
Key Math Diagnostic Arithmetic Test, *1984:* Apr., 290
Kidney(s). See also under *Renal.*
adaptations to polycythemia and hyperviscosity, *1982:* Oct., 1144
cystic disease of, *1982:* Aug., 782
function of, in neonate, *1982:* Aug., **777–790**
during respiratory disorders, *1982:* Aug., 785
maturation of, *1982:* Aug., 777–780
neonatal, nephrotoxic drugs and, *1982:* Aug., 786–787
polycystic disease of, 1982: Feb., 58
transplantation of, for diabetes mellitus, in association with pancreas transplant, *1984:* June, 738–739
in end-stage renal failure, *1984:* June, 644–645
tuberculosis of, *1983:* Apr., 342
Kidney disorders, in diabetes mellitus, *1984:* June, **635–651**
Klebsiella infection, combination antimicrobial therapy for, *1983:* Feb., 126
in an immunosuppressed host, *1983:* Feb., 104
Klippel-Trenaunay-Weber syndrome, *1983:* June, 480
Knee, pain in, from sports injuries, *1984:* Oct., 1102–1105
problems in, in dancers and gymnasts, *1982:* Dec., 1409–1411
Koplick spots, *1982:* June, 609

LABORATORY examination for attention deficit disorder, *1984:* Apr., 436
Lacrimal apparatus, diseases of, *1983:* Dec., **1159–1168**
trauma to, *1983:* Dec., 1170–1171
Lagophthalmos, *1983:* Dec., 1119–1120
Language, learning disorders and, *1984:* Apr., **317–330**
Language *(Continued)*
Language disorders, in adolescence, *1984:* Apr., 350–351
foreign, in adolescence, *1984:* Apr., 360
psychiatric aspects, *1984:* Apr., 472–473
Larva migrans, cutaneous, *1983:* June, 579
Laryngeal atresia, *1984:* Aug., 827–828
Laryngeal cyst, *1984:* Aug., 830–831
Laryngeal webs, *1984:* Aug., 827–828
Laryngocele, *1984:* Aug., 830–831
Laryngomalacia, *1984:* Aug., 825
stridor and, flexible bronchoscopy for, *1984:* Aug., 792–793
versus tracheomalacia, *1984:* Aug., 793
Laryngotracheoesophageal cleft, *1984:* Aug., 829–830
Learned response patterns, effect on recurrent abdominal pain, *1984:* Oct., 984
Learning disorders, *1982:* Feb., **121–136**; *1983:* Dec., 1195–1200
anxiety and, *1984:* Apr., 480–485
conduct disorders and, *1984:* Apr., 486–488
controversial therapies, *1984:* Apr., **459–469**
adverse effects, *1984:* Apr., 467–468
definition, *1984:* Apr., 332–333
educational and psychological assessment, *1984:* Apr., **281–296**
educational characteristics, *1984:* Apr., 335–336
education of children with, *1984:* Apr., **331–343**
in epilepsy, *1984:* Feb., 186
neurologic examination for, *1984:* Apr., **297–315**
of adolescence, *1984:* Apr., **345–369**
psychiatric aspects, *1984:* Apr., **471–497**
psycholinguistic aspects, *1984:* Apr., **317–330**
Left ventricular outflow tract obstruction, *1984:* Dec., 1243–1244
Leg pain, anterior, in young athletes, *1982:* Dec., 1372–1373
from sports injuries, *1984:* Oct., 1105–1107
Legionella pneumophila infections, in the immunocompromised host, *1983:* Feb., 105
Lens, abnormalities, hereditary, *1983:* Dec., 1020–1021
disorders of, glaucoma due to, *1983:* Dec., 1054
trauma to, *1983:* Dec., 1180
Lentigines, *1983:* June, 454–456, 486–487
Leopard syndrome, *1983:* June, 487
ocular findings in, *1983:* Dec., 1141–1142
Leukocytotoxic testing, for allergic disorders, critique of, *1983:* Oct., 810

Leukodystrophy, juvenile-onset metachromatic, learning problems and, *1984:* Apr., 309
Leukokoria, *1983:* Dec., 1072–1074
Leukopenia, dental considerations, *1982:* June, 618
Lice, *1983:* June, 571–574
Lids. See *Eyelids.*
Life-style, effect on evaluation and management of recurrent abdominal pain, *1984:* Oct., 981–982
Limb(s), recurrent pain in, *1982:* Feb., **209–219**; *1984:* Oct., **1053–1081**
  organic versus functional, *1984:* Oct., 1075–1077
Limited joint mobility, associated with diabetes mellitus, *1984:* June, 577–585
Lincomycin, *1983:* Feb., **63–69**
Linguistics, learning disorders and, *1984:* Apr., **317–330**
Lip habits, *1982:* June, 533
Listeria monocytogenes infections, combination therapy for, *1983:* Feb., 124
  in the immunocompromised host, *1983:* Feb., 107
Little league elbow, *1984:* Oct., 1100
Low back pain, in dance and gymnastics, *1982:* Dec., 1415–1417
Lowe's syndrome, glaucoma associated with, *1983:* Dec., 1058
  ocular findings in, *1983:* Dec., 1125
Lumbar puncture, in assessment of headache, *1984:* Oct., 1039
  in management of normal pressure hydrocephalus, *1982:* Oct., 1096
Lung(s), damage to, in respiratory distress syndrome, *1982:* Oct., 1063–1065
  involvement in cystic fibrosis, *1984:* Feb., 136–137
Lung collapse, *1984:* Aug., **891–905**
Lung disease, chronic, risk factors associated with, *1984:* Aug., **757–771**
    sleep hypoxemia and, *1984:* Aug., 916
  immunologic mechanisms, *1984:* Aug., **919–936**
  obstructive versus restrictive, in pulmonary function testing, *1984:* Aug., 775–776
Lung function testing, office, *1984:* Aug., **773–783**
Lung surfactant, as factor in respiratory distress syndrome, *1982:* Oct., 1057–1058
  substitution therapy, *1982:* Oct., 1067–1070
Lung volumes, in pulmonary function testing, *1984:* Aug., 773–774
Lupus erythematosus, in neonates, *1983:* Aug., 739–741
Lyme disease, *1983:* Aug., 742–744
Lymphangiomas, *1983:* June, 476–478
Lymphangiomas *(Continued)*
  intraoral, *1982:* June, 597
Lymph nodes, superficial, tuberculosis of, *1983:* Apr., 340–341
Lymphocytes, T and B, in lung disease, *1984:* Aug., 919–921
L-lysine, *1983:* Feb., 88

MACROSOMIA, in infants of diabetic mothers, *1982:* Oct., 1220
Macula, cherry red spot of, *1983:* Dec., 1118
  disease of, hereditary, *1983:* Dec., 1099
Maffucci's syndrome, *1983:* June, 480
Malignant disease, effect on drug disposition, *1983:* Feb., 97
Malnutrition, interference with growth, *1982:* Aug., 997
Mandible, growth of, *1982:* June, 509–512
  in craniofacial syndrome diagnosis, *1982:* June, 580–581
Malocclusion, occlusion and, *1982:* June, 432, **475–501**
Marathons, skiing, for children, *1982:* Dec., 1428–1429
Marcus Gunn syndrome, *1983:* Dec., 1108–1109, 1153–1155
Marfan syndrome, glaucoma associated with, *1983:* Dec., 1056
Marriage, effect of a chronically ill child on, *1984:* Feb., 54, 80
Mast-cell mediated disorders, *1983:* Oct., 915–916
Mastocytosis, *1983:* Aug., 626
  systemic, cromolyn for, *1983:* Oct., 923–924
Mathematics skills, delayed, in adolescence, *1984:* Apr., 358–359
Maturity, of young female athletes, *1982:* Dec., 1311
  of young male athletes, *1982:* Dec., 1307–1311
Maxilla, growth of, *1982:* June, 507–509
  in craniofacial syndrome diagnosis, *1982:* June, 581–582
McCarthy Scales of Children's Abilities, *1984:* Apr., 294
Meal planning, for diabetes mellitus, *1984:* June, **711–719**
Mealtime problems, office management, *1982:* Apr., 278–281
Measles, oral lesions, *1982:* June, 609
Mecillinam, *1983:* Feb., 5–12
Medically compromised child, dental treatment for, *1982:* June, **613–629**
Medication, compliance, *1982:* Apr., 416–417

Megavitamin therapy, for hyperactivity, *1984:* Apr., 463–465
Melanoma, cutaneous, pigmented birthmarks and, *1983:* June, **435–463**
Melanosis, transient neonatal pustular, *1983:* Aug., 617–618, 735–736
Membranoproliferative glomerulonephritis, *1982:* Feb., 56
Memory impairments, in adolescence, *1984:* Apr., 348–350
Meningitis, *1983:* Apr., **259–269**
  fungal, *1983:* Apr., 266–267
Meningoencephalitis, viral, *1983:* Apr., 266
Menkes kinky-hair syndrome, *1983:* Aug., 656
Menstruation, *1982:* Feb., 177–200
  in dancers and gymnasts, *1982:* Dec., 1417–1418
Mentally compromised child, dental considerations, *1982:* June, 615–616
Mental status examination, in neurologic screening of learning-disordered children, *1984:* Apr., 299–300
Medicaid, for financing care of chronically ill children, *1984:* Feb., 245–246
Merrill Language Screening Test, *1984:* Apr., 324
Mesodermal anomalies, glaucoma associated with, *1983:* Dec., 1056–1058
Metabolic disorders causing recurrent abdominal pain, 1984: Oct., 980
  causing chronic lung disease, *1984:* Aug., 758–759
  glaucoma associated with, *1983:* Dec., 1058–1059
  interference with growth, *1982:* Aug., 996–997
  ocular findings in, *1983:* Dec., 1024–1026
Metaproterenol, for asthma, *1983:* Oct., 934–938
Methylphenidate, for attention deficit disorder, *1984:* Apr., 393, 445–451
Methysergide maleate, for headache, *1984:* Oct., 1045
Metronidazole, *1983:* Feb., **71–75**
Metropolitan Readiness Test, *1984:* Apr., 294
Mezlocillin, *1983:* Feb., 5–12
Miconazole, *1983:* Feb., 52–54
Microbial products, detection of, *1983:* Feb., 137–139
Microphthalmia, chromosomal aberrations in, *1983:* Dec., 1017–1018
Microscopy, in examination of infectious organisms, *1983:* Feb., 136–137
Middle ear, disease of, *1983:* Apr., **281–296**
Migraine, *1982:* Feb., 80–82, 90; *1984:* Oct., 1027–1049
  behavioral management, *1984:* Oct., 1118–1125
  visual symptoms of, *1983:* Dec., 1105
Migraine, behavioral management *(Continued)*
Miliaria, *1983:* Aug., 617
Mineral requirements, for newborn infant, *1982:* Oct., 1178–1179
Minimal change nephrotic syndrome, *1982:* Aug., 880–885
Minimal inhibitory concentration (MIC) determination, *1983:* Feb., 144–148
Mites, bites from, *1983:* June, 563–567
Mitral insufficiency, surgery for, *1984:* Dec., 1283
Mitral stenosis, surgery for, *1984:* Dec., 1282
Mitral valve prolapse, chest pain and, *1984:* Dec., 1244–1245
  in cardiovascular examination of young athletes, *1982:* Dec., 1329–1334
Modeling, in toilet training, *1982:* Apr., 302
Molluscum contagiosum infection, *1983:* June, 529
  eyelid involvement, *1983:* Dec., 1158
Mongolian spots, *1983:* June, 445–447
Monilethrix, *1983:* Aug., 652
Mononucleosis, infectious, oral lesions, *1982:* June, 528
Mosquitoes, bites from, *1983:* June, 574–575
Mothers, of chronically ill children, *1984:* Feb., 50–52
Motor function examination, in neurologic screening of learning-disordered children, *1984:* Apr., 300–301
  of learning disordered children, *1984:* Apr., 304–305
Motor performance, delayed, in infants, *1982:* Feb., **137–149**
  of the chronically ill child, assessment of, *1984:* Feb., 75
Mouth-breathing, *1982:* June, 461–463, 536–538
Mouth flora pneumonia, antimicrobial therapy for, *1983:* Apr., 310
Mouth protectors, *1982:* June, 738–740
Mouthrinses, *1982:* June, 657
Moxalactam, *1983:* Feb., 24
Mucocutaneous lymph node syndrome, *1983:* June, 537–542
  cardiovascular complications, *1984:* Dec., **1321–1329**
Mucogingival defects, *1982:* June, 466–468
Multimodal therapy, in treatment of attention deficit disorder, *1984:* Apr., 499–513
Murmur(s), benign versus pathologic, *1984:* Dec., **1229–1240**
  in patent ductus arteriosus of the premature infant, *1984:* Dec., 1160

Murmur(s) in patent ductus *(Continued)*
in young athletes, evaluation of, *1982:* Dec., 1325–1334
Muscle(s), extraocular, trauma to, *1983:* Dec., 1173–1174
Muscle contraction headache, *1982:* Feb., 83
Muscle relaxants, for management of chronic pain, *1984:* Oct., 1146–1148
Muscle spasms, causing recurrent chest pain, *1984:* Oct., 1015–1016
Muscle strain, causing recurrent chest pain, *1984:* Oct., 1015–1016
Muscular dystrophy, dental considerations, *1982:* June, 614–615
Musculofascial phenomena, contributing to recurrent abdominal pain, *1984:* Oct., 976–977
Mycobacteria infection, in the immunocompromised host, *1983:* Feb., 107
Myelomeningocele, *1984:* Feb., **165–175**
Myofascial pain dysfunction, in adolescence, *1982:* June, 649
Myopericardial disease, chest pain and, *1984:* Dec., 1247–1248
Myositis, *1984:* Oct., 1016

NASAL allergy, glucocorticosteroids for, *1983:* Oct., 965–967
Nasolacrimal duct, obstruction, *1983:* Dec., 1163–1164
in infancy, *1983:* Dec., 1039–1040
Near-drowning, chronic lung disease and, *1984:* Aug., 766
Near sudden infant death syndrome, *1982:* Oct., 1241–1261
Necrotizing enterocolitis, neonatal, *1982:* Oct., **1149–1170**
Neisseria gonorrhoeae, eye infections due to, *1983:* Dec., 1035–1037
Neonatal oral disease, *1982:* June, 585–589
Neonatal oxygen toxicity, *1982:* Oct., **1233–1240**
Neonate(s). See also *Infant(s)*.
acropustulosis in, *1983:* Aug., 736–738
acute pneumonia in, *1983:* Apr., **297–321**
acute renal failure in, *1982:* Aug., **791–800**
afebrile pneumonia syndrome in, *1983:* Apr., 317–318
chronically ill, psychological development of, *1984:* Feb., 20–21
heel nodules in, *1983:* Aug., 741
hyperbilirubinemia in, *1982:* Oct., **1191–1203**
lupus erythematosus in, *1983:* Aug., 739–741
myelomeningocele in, *1984:* Feb., 169–170
Neonate(s) *(Continued)*
noninvasive diagnostic techniques in, *1982:* Oct., **1275–1298**
parenteral nutrition for, *1982:* Oct., **1171–1190**
polycythemia and hyperviscosity in, *1982:* Oct., **1137–1148**
renal function in, *1982:* Aug., **777–790**
retinal hemorrhages of, *1983:* Dec., 1098–1099
septicemia in, *1983:* Apr., **243–258**
transient neonatal and pustular disorders in, *1983:* Aug., 609–618
very-low-birth weight, survival of, and prevalence estimates for chronic disease, *1984:* Feb., 6–7
vision screening for, *1983:* Dec., 996–1000
visual development in, *1983:* Dec., **977–993**
zinc metabolism in, *1983:* June, 584–585
Neoplastic disease, causing back pain, *1984:* Oct., 1092–1094
causing limb pain, *1984:* Oct., 1064
causing recurrent abdominal pain, *1984:* Oct., 981
Nephrogenic diabetes insipidus, *1982:* Aug., 896–897
Nephrology, symposium on, *1982:* Aug., **777–1052**
Nephropathy, congenital, *1982:* Aug., 787
diabetic, *1984:* June, **635–651**
Nephrotic syndrome, *1982:* Feb., 55, 63; *1982:* Aug., **875–894**
associated with mesangial proliferation, *1982:* Aug., 886
congenital, Finnish, *1982:* Aug., 787
minimal change, *1982:* Aug., 880–885
Nephrotoxic drugs, neonatal kidney and, *1982:* Aug., 786
Nerve block, for chronic pain, *1984:* Oct., 1149
Nervous system, dysfunction, behavioral disorders and, *1982:* Apr., 241, 243–244
Neuritis, optic, *1983:* Dec., 1116
Neurochemical correlates, of attention deficit disorder, *1984:* Apr., **387–396**
Neuroectodermal tumor, of infancy, *1982:* June, 589
Neurofibromatosis, glaucoma associated with, *1983:* Dec., 1056
Neurologic disorders, contributing to recurrent abdominal pain, *1984:* Oct., 980
dental considerations, *1982:* June, 622–624
Neurologic examination, for attention deficit disorder, *1984:* Apr., 434–435
of children with learning disorders, *1984:* Apr., **297–315**
Neurologic signs, subtle, in learning-disordered children, *1984:* Apr., 302–306

Neuronal ceroid-lipofuscinosis, learning problems and, *1984:* Apr., 309
Neuro-ophthalmology, *1983:* Dec., **1103–1121**
Neuropathy, autonomic, in diabetes mellitus, *1984:* June, 655
Neurotransmitters, abnormalities in function, in attention deficit disorder, *1984:* Apr., 387–394
Neutropenia, effect on antimicrobial response, *1983:* Feb., 98
  febrile, *1983:* Feb., 109
  oral lesions, *1982:* June, 606–607
Nevus (nevi), Becker's, *1983:* June, 448
  blue, differentiated from dysplastic melanocytic nevus, *1983:* June, 454
  dysplastic melanocytic, *1983:* June, 448–451
    differentiated from acquired pigmented lesions, *1983:* June, 451–458
  epidermal, *1983:* June, 483–485
  epithelial, *1983:* June, 447, 453
  halo, *1983:* June, 456–457
  nevocellular, congenital, differential diagnosis, *1983:* June, 441–451
    giant congenital, *1983:* June, 437–438
    normal acquired, differentiated from dysplastic melanocytic nevus, *1983:* June, 451–453
    origin of, *1983:* June, 436–437
    small congenital, *1983:* June, 439–441
  of Ota, *1983:* June, 447
  pigmented, cutaneous melanoma and, *1983:* June, **435–463**
  spider, *1983:* June, 466
  Spitz, differentiated from dysplastic melanocytic nevus, *1983:* June, 453
  vascular, *1983:* June, **465–482**
    flat, *1983:* June, 465–470
    raised, *1983:* June, 470–478
    syndromes associated with, *1983:* June, 478–479
  white sponge, *1982:* June, 608
Nevus araneus, *1983:* June, 466
Nevus comedonicus, *1983:* June, 489
Nevus sebaceus, *1983:* June, 489
Nevus spilus, *1983:* June, 444–445
Newborn. See also *Infants*, and *Neonate(s)*.
  symposium on, *1982:* Oct., **1055–1301**
Niemann-Pick disease, learning problems and, *1984:* Apr., 311
Nitrogen narcosis, in sports divers, *1982:* Dec., 1438
Nitrofurantoin, for urinary tract infection, *1983:* Apr., 327–328
Nitroglycerin, for heart failure, *1984:* Dec., 1201, 1210–1211
Nitroprusside, for heart failure, *1984:* Dec., 1213
Nitrous oxide, *1982:* June, 752–754
Nocardia infection, in the immunocompromised host, *1983:* Feb., 107
Nocturnal enuresis, *1982:* Feb., **21–36**
Nordic skiing, pediatric aspects, *1982:* Dec., **1423–1429**
Norepinephrine, for heart failure, *1984:* Dec., 1214
  pharmacology of, in attention deficit disorders, *1984:* Apr., 388–389
Normal values, in pulmonary function testing, *1984:* Aug., 779–780
Nuclear angiography, in diagnosis of patent ductus arteriosus in the premature infant, *1984:* Dec., 1163
Nursery, intensive care, impact on development, *1982:* Oct., **1263–1273**
Nursing-bottle caries, *1982:* June, 452, 659–660
Nutrition, for dancers and gymnasts, *1982:* Dec., 1417–1418
  in therapy of renal insufficiency, *1982:* Aug., **973–990**
  parenteral, conjugated hyperbilirubinemia and, *1982:* Oct., 1199–1200
  for the newborn infant, *1982:* Oct., **1171–1190**
Nutritional aids, misuse, by adolescent athletes, *1982:* Dec., 1365–1366
Nutritional abnormalities, causing limb pain, *1984:* Oct., 1069
Nystagmus, *1983:* Dec., 1113–1114
Nystatin, for candidiasis, *1982:* June, 602

OBESITY, effect on cardiovascular disease, *1982:* Dec., 1344
Obstructive-airway disease, virus-induced, *1983:* Oct., **819–828**
Obstructive uropathy, long-term outcome, *1982:* Aug., **815–826**
  progression to end-stage renal disease, *1982:* Aug., 819–820
Occlusion, examining, *1982:* June, 478–486
Ocular bobbing, *1983:* Dec., 1115
Ocular disorders, as signs of systemic disease, *1983:* Dec., **1123–1144**
  symposium on, *1983:* Dec., **975–1200**
Ocular dysmetria, *1983:* Dec., 1115
Ocular flutter, *1983:* Dec., 1115
Ocular infections, chloramphenicol for, *1983:* Feb., 212
  specimen processing, *1983:* Feb., 142
  therapy for, *1983:* Apr., **389–396**
Ocular tumors, *1983:* Dec., **1071–1086**
Oculocerebrorenal syndrome, ocular findings in, *1983:* Dec., 1125
Oncologic problems, dental considerations, *1982:* June, 619–620
Onychomycosis, *1983:* June, 555–556

Operant conditioning, in toilet training, *1982:* Apr., 302
Ophthalmia neonatorum, *1983:* Apr., 251; *1983:* Dec., **1033–1042**
Ophthalmic examination, by the pediatrician, *1983:* Dec., **995–1002**
times for and extent of, *1983:* Dec., 995–996
Ophthalmology, symposium on, *1983:* Dec., **975–1200**
Ophthalmoplegia, internuclear, *1983:* Dec., 1112
Opiates, for management of chronic pain, *1984:* Oct., 1137–1141
Opsoclonus, *1983:* Dec., 1115
Optic nerve, disorders, hereditary, *1983:* Dec., 1022–1023
hypoplasia of, *1983:* Dec., 1117
Optometric training, for learning disabilities, *1984:* Apr., 467
Oral contraceptives, gingival conditions due to, *1982:* June, 643
Oral disease, neonatal, *1982:* June, 585–589
Oral habits, *1982:* June, **523–546**
Oral health, maintaining, *1982:* June, **653–668**
symposium on, *1982:* June, **429–769**
Oral lacerations, *1982:* June, 681–683
Oral lesions, common, *1982:* June, **585–611**
Orienting reflex, *1984:* Apr., 374–375
Orofacial digital syndrome, *1982:* June, 577–578
Orofacial structures, associated with congenital anomalies, *1982:* June, 547
Orthomolecular mineral therapy, for developmental and learning problems, *1984:* Apr., 465–466
Orthopedic abnormalities, in children with myelomeningocele, *1984:* Feb., 171–172
Orthopedic conditions, causing limb pain, *1984:* Oct., 1055–1056
Orthophoria, definition, *1983:* Dec., 1003
Osgood-Schlatter disease, in young athletes, *1982:* Dec., 1375
pain from, *1984:* Oct., 1103
Osteochondromas, pain from, in the athlete, *1984:* Oct., 1112
Osteochondroses, pain from, in sports injuries, *1984:* Oct., 1097–1098
Osteodystrophy, renal, *1982:* Aug., 960–967
interference with growth, *1982:* Aug., 995–996
Osteogenesis imperfecta, dental considerations, *1982:* June, 615
Osteomyelitis, *1983:* Apr., 271–274
pain of, *1984:* Oct., 1060
vertebral, pain in, *1984:* Oct., 1091
Osteopenia, in diabetes mellitus, *1984:* June, 569–574
Ottis media, *1983:* Apr., **281–286**
antihistamines for, *1983:* Oct., 911
effusions in, *1983:* Apr., 291–292
Ovary, polycystic disease, *1982:* Feb., 188
Overuse injuries, in young athletes, *1982:* Dec., **1369–1381**
Oxybutynin (Ditropan), for enuresis, *1982:* Feb., 27
Oxygen, in initial management of acute asthma, *1984:* Aug., 884
Oxygen monitoring, transcutaneous, in neonates, *1982:* Oct., 1275–1279
Oxygen toxicity, neonatal, *1982:* Oct., **1233–1240**

PACEMAKERS, cardiac, for rhythm disorders, *1984:* Dec., 1180–1182
Pacifier-sucking habit, *1982:* June, 530–532
Pain, after dental treatment, *1982:* June, 711–713
behavioral approaches in management, *1984:* Oct., **1113–1131**
chronic, pharmacologic management, *1984:* Oct., **1133–1151**
control of, in pediatric dental office, *1982:* June, 750
dental, *1982:* June, 704–711
experience of, behavioral assessment, *1984:* Oct., 1116
effect of context on, *1984:* Oct., 954
factors that modify, *1984:* Oct., 953
gingival, *1982:* June, 685–687
limb, *1982:* Feb., **209–219**; *1984:* Oct., **1053–1081**
recurrent, obscure, evaluation of child, *1984:* Oct., 958–964
overview and approach, *1984:* Oct., **949–968**
symposium on, *1984:* Oct., **947–1151**
theory of, *1984:* Oct., 950–953
transmission of, neuroanatomy of, *1984:* Oct., 951
neurochemistry of, *1984:* Oct., 951–952
theories of, *1984:* Oct., 952
Pain clinics, multidisciplinary, *1984:* Oct., 1148–1149
Palate, in craniofacial syndrome diagnosis, *1982:* June, 578–580
Palsy, of extraocular muscles, *1983:* Dec., 1110–1111
of gaze, *1983:* Dec., 1111–1113
Pancreas, cystic fibrosis of, *1984:* Feb., **133–152**
transplantation, for diabetes mellitus, *1984:* June, **735–750**
Panencephalitis, subacute sclerosing, learning problems and, *1984:* Apr., 310
Panic, in school children, *1984:* Apr., 484
Papilledema, *1983:* Dec., 1115

Papillitis, *1983:* Dec., 1116
Papilloma, intraoral, *1982:* June, 596–597
Para-aminosalicylic acid, for tuberculosis, *1983:* Feb., 186
Parenteral nutrition, for the newborn infant, *1982:* Oct., **1171–1190**
Parents, anticipatory guidance for, *1982:* Apr., 263–269
  improving parenting skills, *1982:* Apr., 245
  of premature infants, considerations in intensive care units, *1982:* Oct., **1263–1273**
  of chronically ill child, assessment of relationship, *1984:* Feb., 76
  of learning-disordered children with neurologic disease, physician communication with, *1984:* Apr., 311–312
  relationship with infant, *1982:* Apr., **249–260**
Paronychia, *1983:* June, 525–526
Parulis, *1982:* June, 592–593
Patch testing, *1983:* June, 428–431
Patellofemoral pain syndrome, *1982:* Feb., 215
  in young athletes, *1982:* Dec., 1375–1376
Patent ductus arteriosus, in premature infants, *1982:* Oct., **1117–1136**; *1984:* Dec., **1159–1174**
    as cause of apnea, *1982:* Oct., 1112
    surgery for, *1984:* Dec., **1275–1291**
Patterning, for reading problems, *1984:* Apr., 467
PdUrd, *1983:* Feb., 87
Peabody Individual Achievement Test, *1984:* Apr., 289
Peak flow meter, *1984:* Aug., 777
Peak flow rate, versus spirometry, *1984:* Aug., 780
Pediatric Examination of Educational Readiness, *1984:* Apr., 324
Pediatrician, as coordinator of care of children with chronic illness, *1984:* Feb., **199–209**
  as school team physician, *1982:* Dec., **1383–1397**
  dental evaluation by, *1982:* June, **761–769**
  in care of child with cancer, *1984:* Feb., **119–131**
  in care of chronic asthma, specialist and, *1984:* Feb., **87–105**
  in care of child with chronic illness, *1984:* Feb., **189–198**
    specialist and, controversies in, *1984:* Feb., 269–271
  in care of diabetes mellitus, specialist and, *1984:* Feb., **107–117**
  ophthalmic examination by, *1983:* Dec., **995–1002**
  prevalence of chronic disease in practice, *1984:* Feb., 8–11
Pediatrician *(Continued)*
  role in school care of chronically ill children, *1984:* Feb., 230–231
Pediculosis, *1983:* June, 571–578
Pedodontic office, *1982:* June, **743–759**
Peer relations, of the chronically ill child, *1984:* Feb., **59–69**
    assessment of, *1984:* Feb., 77
Pemoline, for attention deficit disorder, *1984:* Apr., 450
Penicillin(s), hypersensitivity to, *1983:* Feb., **161–176**
  new, *1983:* Feb., **3–16**
Peptic ulcer, contributing to recurrent abdominal pain, *1984:* Oct., 977–978
Perceptual and Process Tests, *1984:* Apr., 291–293
Pericarditis, tuberculous, *1983:* Apr., 343
Pericoronitis, *1982:* June, 464–465
  in adolescence, *1982:* June, 643
Perinatal coaching, in infant-parent relationship, *1982:* Apr., **249–260**
Periodontal disease, *1982:* June, 431–432
  in adolescence, *1982:* June, 639
  recognition of, *1982:* June, **457–474**
Periodontitis, *1982:* June, 461
  diabetic, *1982:* June, 473
  juvenile, *1982:* June, 471–473
Peripheral odontogenic fibroma, *1982:* June, 594
Peritoneal dialysis, continuous ambulatory, *1982:* Aug., **1005–1012**
  in end-stage renal failure, *1984:* June, 644
Periventricular-intraventricular hemorrhage, in premature infant, *1982:* Oct., **1077–1104**
Personality development, atypical, *1984:* Apr., 488–492
Peutz-Jeghers syndrome, *1983:* June, 486
Phagocytes, in lung disease, *1984:* Aug., 921–922
Phakomata, *1983:* Dec., 1117–1118
Pharmacotherapy, of attention deficit disorder, *1984:* Apr., 441–451
Phenothiazines, for management of chronic pain, *1984:* Oct., 1144–1146
Phenylketonuria, *1983:* Aug., 597–598
Phlebotomy, for polycythemia, *1982:* Oct., 1145
Phobic anxiety, in school children, *1984:* Apr., 484
Phosphonoformate, *1983:* Feb., 86
Phosphorous, in diet for renal insufficiency, *1982:* Aug., 983–985
Photopsias, *1983:* Dec., 1105
Photosensitivity, *1983:* Aug., **687–699**
Phototherapy, *1983:* Aug., **701–719**
  in prevention of neonatal hyperbilirubinemia, *1982:* Oct., 1196–1197
Physical assessment, of children with chronic disease, *1984:* Feb., 38–40

Physiologic correlates, of attention deficit disorder, *1984:* Apr., **371–385**
Piaget, Jean, stages of development, chronically ill children and, *1984:* Feb., 20–30
Pili annulati, *1983:* Aug., 653
Pili multigemini, *1983:* Aug., 654
Pili tori, *1983:* Aug., 652
Pilomatrixoma, *1983:* June, 491
Piperacillin, *1983:* Feb., 5–12
Pit and fissure sealants, *1982:* June, 662–663
P. L. *1984:* Apr., 281, 94–142
Plantar fascitis, *1984:* Oct., 1108
  in young athletes, *1982:* Dec., 1371–1372
Plasmapheresis, for immunosuppression in renal transplantation, *1982:* Aug., 1025
Pneumonia, acute, *1983:* Apr., **297–321**
  as cause of apnea, *1982:* Oct., 1112
  complicated, *1983:* Apr., 306–308
  gram-negative, antimicrobial therapy for, *1983:* Apr., 311–312
  in the immunocompromised host, *1983:* Apr., 313–317
  persistent, bronchoscopy for, *1984:* Aug., 795–796
Pneumonia syndrome, afebrile, of neonates, *1983:* Apr., 317–318
Pneumonitis, due to *Pneumocystis carinii*, in the immunocompromised host, *1983:* Feb., 116–117
  hypersensitivity, *1984:* Aug., 929–931
Pohl-Pincus mark, *1983:* Aug., 651
Poisoning, hemoperfusion in, *1982:* Aug., 1045–1048
Pollakiuria, *1982:* Feb., 15
Pollution, respiratory symptoms and, *1984:* Aug., 764–765, 860
Polycystic ovarian disease, *1982:* Feb., 188
Polycystic renal disease, *1982:* Feb., 58
Polycythemia, hyperviscosity and, neonatal, *1982:* Oct., **1137–1148**
  in infants of diabetic mothers, *1982:* Oct., 1225–1226
Polyendocrine autoimmune disease, Type II, *1984:* June, 536–537
Poroma, eccrine, *1983:* June, 491
Porphyrias, *1983:* Aug., 688–691
Port-wine stains, *1983:* June, 468–470
Port-wine syndrome, glaucoma associated with, *1983:* Dec., 1056
Positron emission computed tomography, in diagnosis of epilepsy, *1984:* Feb., 182
Posterior urethral valves, *1982:* Aug., 820–821
Postrenal acute renal failure, in neonate, *1982:* Aug., 794–796
Potassium, in diet for renal insufficiency, *1982:* Aug., 982
Potassium hydroxide preparation, in dermatologic diagnosis, *1983:* June, 419–421
Prazosin, for heart failure, *1984:* Dec., 1213–1214
Preferential looking tests, for infants, *1983:* Dec., 979–981
Pregnancy, diabetes in, *1982:* Oct., 1214–1216
  nutrition during, *1984:* June, 717
  in renal allograft recipients, *1982:* Aug., 1031–1032
  in patient with congenital heart disease, *1984:* Dec., 1379–1380
Prenatal counseling, *1982:* Apr., 262–263
Prerenal acute renal failure, *1982:* Aug., 791–792
  in neonate, *1982:* Aug., 791–796
Preschool children, chronically ill, psychological development of, *1984:* Feb., 24–26
  discipline problems in, *1982:* Feb., **167–176**
Prevalence, of chronic disease in children, *1984:* Feb., **3–18**
Preventive services, in care of child with chronic illness, *1984:* Feb., 195–196
Primary care, pediatric cardiology and, *1984:* Dec., **1367–1388**
Primary health care, behavioral pediatrics and, *1982:* Apr., **261–296, 377–390**
  prevalence of behavioral problems in, *1982:* Apr., 378–379
Primary renal disease, interference with growth, *1982:* Aug., 994
Process training, for children with learning problems, *1984:* Apr., 338–339
Propionibacterium acnes, in etiology of acne, *1983:* June, 501–503, 512
Propranolol, for headache, *1984:* Oct., 1044–1045
Proptosis, extraocular tumors and, *1983:* Dec., 1079–1081
5-n-Propyl-2′-deoxyuridine, *1983:* Feb., 87
Prostaglandin inhibitors, for patent ductus arteriosus in the premature infant, *1984:* Dec., 1166–1168
Prostaglandin synthetase inhibitors, in management of patent ductus arteriosus, *1982:* Oct., 1126–1128
Proteins, glycosylation of, in control of diabetes mellitus, *1984:* June, **611–621**
  in diet for renal insufficiency, *1982:* Aug., 979–981
  in meal plan for diabetes mellitus, *1984:* June, 716–717
  malnutrition, interference with growth, *1982:* Aug., 997
  requirements, for newborn infant, *1982:* Oct., 1175–1176
Proteinuria, *1982:* Feb., **61–63**
Protozoan infections, gastrointestinal, *1983:* Apr., 379–380
  in the immunocompromised host, *1983:* Feb., 116–117
Provocation and neutralization testing, for

Provocation and neutralization testing *(Continued)*
allergic disorders, critique of, *1983:* Oct., 812–814
Prurigo, actinic, *1983:* Aug., 694–697
Pseudohyperaldosteronism, type I, *1982:* Aug., 902
Pseudomonas aeruginosa infection, combination antimicrobial therapy for, *1983:* Feb., 125–126
in an immunocompromised host, *1983:* Feb., 105
Pseudomonas infection, in cystic fibrosis, *1984:* Feb., 139–144
Pseudopapilledema, *1983:* Dec., 1116
Pseudo-pili annulati, *1983:* Aug., 653
Pseudoseizures, *1984:* Feb., 181–182
Pseudostrabismus, definition, *1983:* Dec., 1003–1004
Psoralen photochemotherapy, *1983:* Aug., 709–715
Psoriasis, guttate, associated with streptococcal infection, *1983:* Aug., 744–745
phototherapy for, *1983:* Aug., 705–709
Psychiatric disorders, learning difficulties and, *1984:* Apr., **471–497**
Psychiatry, child, behavioral pediatrics and, *1982:* Apr., 392–394
Psychogenic headache, *1982:* Feb., 83
Psychogenic rheumatism, *1982:* Feb., 217
Psychological assessment, of children with learning disorders, *1982:* Feb., **126–131**; *1984:* Apr., **281–296**
Psychological development, of the chronically ill child, *1984:* Feb., 19–31
assessment of, *1984:* Feb., 40–43, **71–86**
Psychological variables, affecting response to pain, *1984:* Oct., 955–956
Psychological factors, in diabetes mellitus, *1984:* June, **689–710**
Psychological problems, in children with chronic illness, empirical evidence, *1984:* Feb., 33–37
factors influencing risk of, *1984:* Feb., 37–38
Psychology, child, behavioral pediatrics and, *1982:* Apr., 394–395
Psychosocial controversies, in care of chronically ill children, *1984:* Feb., 268–271
Psychosocial data, on chronically ill children, obtaining, *1984:* Feb., 82–84
Psychosomatic complaints, hospitalization for, *1982:* Feb., 6
Psychosocial issues, in congenital heart disease, *1984:* Dec., 1376–1378
Psychosomatic pain, in back, *1984:* Oct., 1094
in limbs, *1984:* Oct., 1073–1074
Psychotherapy, for attention deficit disorder, *1984:* Apr., 440, 503–506
Psychotropics, for management of chronic pain, *1984:* Oct., 1143–1146
Pulmonary artery hypertension, in Down syndrome, *1984:* Dec., 1337–1339
Pulmonary atresia, associated with intact ventricular septum, surgery for, *1984:* Dec., 1288
ventricular septal defect with, surgery for, *1984:* Dec., 1284–1286
Pulmonary disease. See also under *Lung disease.*
effect on drug disposition, *1983:* Feb., 96
preexisting, in differential diagnosis of chronic bronchitis, *1984:* Aug., 856
Pulmonary fibrosis, interstitial, *1984:* Aug., 931
Pulmonary function testing, office, *1984:* Aug., **773–783**
Pulmonary insufficiency, surgery for, *1984:* Dec., 1283–1284
Pulmonary involvement, in cystic fibrosis, *1984:* Feb., 136–137
Pulmonary stenosis, balloon angioplasty for, *1984:* Dec., 1293–1300
surgery for, *1984:* Dec., 1281
Pulmonary vascular disease, in Down syndrome, *1984:* Dec., 1337–1339
Pulmonary venous obstruction, balloon angioplasty for, *1984:* Dec., 1303
Pump, insulin infusion, in treatment of diabetes mellitus, *1984:* June, **721–734**
Pupil, defects of, *1983:* Dec., 1108–1110
Purdue Perceptual-Motor Survey, *1984:* Apr., 294
Purulent material, effect on antimicrobial response, *1983:* Feb., 98–99
Pustular and vesicular disorders, transient neonatal, *1983:* Aug., 609–618
Pyelogram, intravenous, for hypertension, *1984:* Dec., 1265–1266
Pyelonephritis, *1982:* Aug., **801–815**
acute, *1983:* Apr., 329
Pyogenic granuloma, *1982:* June, 594
Pyrazinamide, for tuberculosis, *1983:* Feb., 186–187

QUADRANTANOPSIA, *1983:* Dec., 1107

RABIES, due to animal bites, *1983:* Apr., 408–410
Radioallergosorbent test (RAST), for insect sting allergy, *1983:* Oct., 879
for standardization of allergenic extracts, *1983:* Oct., 800–801
Radiography, in pediatric dental office, *1982:* June, 748–750
Radiologic examination, in diagnosis of epilepsy, *1984:* Feb., 182
Ranula, *1982:* June, 598

Reading disorder, psychiatric aspects, *1984:* Apr., 473–474
Reading skills, delayed, in adolescence, *1984:* Apr., 355–356
Receptor antagonists, H1, *1983:* Oct., **899–914**
von Recklinghausen disease, ocular lesions in, *1983:* Dec., 1117–1118
Referral, of pediatric behavioral problems, *1982:* Apr., 293–295
Reflex sympathetic dystrophy, associated with diabetes mellitus, *1984:* June, 576
Reflux, gastroesophageal. See *Gastroesophageal reflux.*
vesicoureteral, *1982:* Aug., 821–822
surgeon's perspective, *1982:* Aug., **827–834**
Regionalization, in care of chronically ill children, *1984:* Feb., 250–253
Rejection, of renal transplantation, *1982:* Aug., 1025–1028
Relaxation training, for headache, *1984:* Oct., 1046, 1118–1120
Renal. See also under *Kidney.*
Renal damage, determinants of, *1982:* Aug., 803–806
in hemolytic-uremic syndrome, *1982:* Aug., 840–844
Renal development, effects of obstruction, *1982:* Aug., 816
Renal disease, dental considerations, *1982:* June, 624
end-stage, resulting from obstructive uropathy, *1982:* Aug., 819–820
in diabetes mellitus, *1984:* June, **635–651**
in neonate, symptoms and signs, *1982:* Aug., 780–782
primary, interference with growth, *1982:* Aug., 994
vitamin D metabolism in, *1982:* Aug., 950–951
Renal failure, acute, in neonate, *1982:* Aug., 786, **791–800**
Renal function, effects of obstruction, *1982:* Aug., 816
following relief of obstruction, *1982:* Aug., 818–819
progressive deterioration, *1982:* Aug., 822–824
Renal insufficiency, growth in, *1982:* Aug., **991–1001**
nutrition therapy, *1982:* Aug., **973–990**
Renal metabolic bone disease, vitamin D therapy for, *1982:* Aug., 956
Renal osteodystrophy, *1982:* Aug., 960–963
interference with growth, *1982:* Aug., 995–996
vitamin D therapy for, *1982:* Aug., 963–967
Renal papillary necrosis, in diabetes mellitus, *1984:* June, 637
Renal scarring, focal, *1982:* Aug., **801–815**
Renal transplantation, *1982:* Aug., **1013–1038**
Renal tuberculosis, *1983:* Apr., 342
Renal tubular disorders, *1982:* Aug., **895–906**
Renal vein thrombosis, in infants of diabetic mothers, *1982:* Oct., 1226
Reproductive disorders, in cystic fibrosis, *1984:* Feb., 138
Resistance, bacterial, to expanded-spectrum penicillins, *1983:* Feb., 7–9
Respiratory disorders. See also names of disorders.
neonatal, renal function during, *1982:* Aug., 785
pain associated with, *1984:* Oct., 1018–1020
Respiratory distress syndrome, *1982:* Oct., **1057–1075**
associated with apnea, *1982:* Oct., 1112
in infants of diabetic mothers, *1982:* Oct., 1221–1222
prevention, *1982:* Oct., 1060–1063
Respiratory immunesystem, *1984:* Aug., 925–926
Respiratory infections, lower, *1983:* Apr., 297–318
Respiratory syncytial virus, in airway disease, *1983:* Oct., 819–826
Respiratory tract infection, specimen processing, *1983:* Feb., 140–141
Restorations, dental, *1982:* June, 662–663, 754–759
Retardation, mental, definition, *1984:* Apr., 332
mild, children with, educational characteristics, *1984:* Apr., 336–337
Retina, detachment of, *1983:* Dec., 1096–1097
due to trauma, *1983:* Dec., 1180
disorders of, *1983:* Dec., **1087–1101**
hemorrhages of, in neonate, *1983:* Dec., 1098–1099
malformations, hereditary, *1983:* Dec., 1021–1022
Retinitis pigmentosa, *1983:* Dec., 109[illegible]–1100
13-cis Retinoic acid, for acne, *1983:* Jun[illegible], 503–504, 508–509
Retinopathy, in diabetes mellitus, *1984:* June, 641–642
Retransplantation, renal, *1982:* Aug., 1032
Retrolental fibroplasia, *1982:* Oct., 1237–1238; *1983:* Dec., 1095
glaucoma due to, *1983:* Dec., 1055
Rheumatic diseases, causing limb pain, *1984:* Oct., 1056–1059
causing back pain, *1984:* Oct., 1091
in diabetes mellitus, *1984:* June, 575–585
psychogenic, *1982:* Feb., 217
Rheumatic fever, pain of, *1984:* Oct., 1058–1059

Rheumatoid arthritis, juvenile, ocular find ings in, *1983:* Dec., 1128–1131
Rhinitis, antihistamines for, *1983:* Oct., 908–909
chronic, *1983:* Oct., **847–871**; *1984:* Aug., **801–819**
diagnostic classification, *1983:* Oct., 849–851
patient evaluation, *1983:* Oct., 854–861
treatment, *1983:* Oct., 862–869
cromolyn for, *1983:* Oct., 924–925
Ribavirin, *1983:* Feb., 82–83
Richner-Hanhart syndrome, *1983:* Aug., 598
Rickets, familial hypophosphatemic, *1982:* Aug., 957–959
dental manifestations, *1982:* June, 565
primary hypophosphatemic, *1982:* Aug., 902–903
Rickettsial diseases, chloramphenicol for, *1983:* Feb., 211–212
Rifampin, clinical pharmacology of, *1983:* Feb., 181–183
Ringworm, scalp, *1982:* Feb., 37
Roentgenographic evaluation, of back pain, *1984:* Oct., 1085–1086
Root fracture, *1982:* June, 723–724
Rothmund-Thomson syndrome, *1983:* Aug., 694
Rubella, congenital, retinopathy due to, *1983:* Dec., 1090
glaucoma due to, *1983:* Dec., 1054
ocular findings in, *1983:* Dec., 1134–1135

SACCHARIN, in nutrition therapy for diabetes mellitus, *1984:* June, 717–718
Salmonella, gastrointestinal infection due to, *1983:* Apr., 380–382
Salmonella infection, in immunosuppressed host, *1983:* Feb., 105
Salmon patch, *1983:* June, 465–466
Saltatory syndrome, in intraventricular hemorrhage, *1982:* Oct., 1083–1084
Sarcoidosis, immunologic aspects, *1984:* Aug., 931–932
diagnosis of, *1983:* June, 428–429
Scabies, *1983:* June, 563–568
Scalp, fungus infections of, *1982:* Feb., 37
ringworm, *1982:* Feb., 37
Scarlet fever, oral lesions, *1982:* June, 609–610
rash in, *1983:* June, 520–522
Scars, from transcutaneous oxygen monitoring, *1983:* Aug., 741
Scheuermann's disease, *1984:* Oct., 1090
Schizophrenia, childhood, *1984:* Apr., 488–492
School(s), care of chronically ill children in, *1984:* Feb., **221–233**
School(s) *(Continued)*
controversies in, *1984:* Feb., 270
selecting, for dance and gymnastics, *1982:* Dec., 1418–1420
School-aged children, chronically ill, psychological development, *1984:* Feb., 26–28
School issues, for the chronically ill child, *1984:* Feb., **59–69**
assessment of performance, *1984:* Feb., 76–77
School phobia, limb pain and, *1984:* Oct., 1074–1075
School problems, recurrent abdominal pain and, *1984:* Oct., 983
School programming, for attention deficit disorder, *1984:* Apr., 507–508
School recommendations, for children with congenital heart disease, *1984:* Dec., 1382
School refusal and avoidance, *1984:* Apr., 485–486
School team physician, pediatrician as, *1982:* Dec., **1383–1397**
Sclera, lacerations, *1983:* Dec., 1178–1179
Scoliosis, dental considerations, *1982:* June, 614
Scotomas, *1983:* Dec., 1106
Screening tests, for children with language disorders, *1984:* Apr., 323–325
for learning disorders, *1984:* Apr., 286
neurologic, *1984:* Apr., 299–301
Scuba diving, *1982:* Dec., 1433
medical evaluation for, *1982:* Dec., 1439
Seabathers' eruption, *1983:* June, 578
Seizures, learning problems and, *1984:* Apr., 308
Separation anxiety, in school children, *1984:* Apr., 483–484
Sepsis, as cause of apnea, *1982:* Oct., 1112
Septicemia, neonatal, *1983:* Apr., **243–258**
specimen processing, *1983:* Feb., 141–142
Septic shock, in children with bacterial meningitis, *1983:* Apr., 264–265
Serial lumbar puncture, in management of normal pressure hydrocephalus, *1982:* Oct., 1096
Serotonin, pharmacology of, in attention deficit disorders, *1984:* Apr., 390
Serratia infection, in an immunosuppressed host, *1983:* Feb., 104–105
Serum, antibiotic concentration in, *1983:* Feb., 154
Serum sodium abnormalities, *1982:* Aug., **907–932**
Services, for care of chronically ill children, in Europe and Canada, *1984:* Feb., 248–250
organization of, *1984:* Feb., **235–257**
Sever's syndrome, pain in, *1984:* Oct., 1107

Sex, differences in experience of pain, *1984:* Oct., 954
Sexuality issues, for the chronically ill adolescent, *1984:* Feb., 214–216
Shampoos, for skin disorders, *1983:* Aug., 754
Shigella, gastrointestinal infection due to, *1983:* Apr., 382–384
Shigella infection, in an immunosuppressed host, *1983:* Feb., 105
Shingles, causing recurrent chest pain, *1984:* Oct., 1017
Shin splints, *1982:* Dec., 1372–1373; *1984:* Oct., 1105–1106
Shock, septic, *1983:* Apr., **365–371**
Shoulder, pain in, from sports injuries, *1984:* Oct., 1098–1100
Shunts, right-to-left, exercise recommendations for, *1984:* Dec., 1312
Shyness, in school children, *1984:* Apr., 484
Siblings, of chronically ill children, *1984:* Feb., 53–54, 81
Sickle cell anemia, dental considerations, *1982:* June, 618–619
  limb pain in, *1984:* Oct., 1068
  retinopathy due to, *1983:* Dec., 1095
Signs and symptoms, persistent, approach to, *1982:* Feb., **3–7**. See also specific disorders.
Silent hemorrhage, intraventricular, *1982:* Oct., 1084
Silver nitrate conjunctivitis, *1983:* Dec., 1033–1034
Sindig-Larsen syndrome, pain from, *1984:* Oct., 1103
Single ventricle, surgery for, *1984:* Dec., 1287–1288
Skeletal infections, *1983:* Apr., **271–280**
Skeletal manifestations, of diabetes mellitus, *1984:* June, **569–589**
Skeletal system, tuberculosis of, *1983:* Apr., 341
Skiing, Nordic, pediatric aspects, *1982:* Dec., **1423–1429**
Skin, allergic lesions. See *Dermatitis*.
  disorders, glucocorticosteroids for, *1983:* Oct., 967–968
    persistent, *1982:* Feb., **37–53**
    symposia on, *1983:* June, **417–596**; *1983:* Aug., **597–770**
  metabolic disease and, *1983:* Aug., **597–608**
  zinc and, *1983:* June, **583–596**
Skin biopsy, in dermatologic diagnosis, *1983:* June, 423–426
Skin infections, superficial, therapy for, *1983:* Apr., **397–404**
Skin testing, for characterization of allergenic extracts, *1983:* Oct., 796–797
  for IgE-mediated disease, methods, *1983:* Oct., 786–788
  for penicillin hypersensitivity, *1983:* Feb., 167–173
  in diagnosis of IgE-mediated disease, *1983:* Oct., **785–793**
  in insect sting allergy, *1983:* Oct., 878
  to determine optimal dose for immunotherapy, critique of, *1983:* Oct., 811–812
Sleep, airway problems during, *1984:* Aug., **907–918**
Slipping rib syndrome, *1984:* Oct., 1017
Smoking. See *Tobacco smoke*.
Snorkeling, for children, *1982:* Dec., 1432
Soaks, for skin diseases, *1983:* Aug., 752
Soaps, for skin diseases, *1983:* Aug., 753–754
Sociability, in hyperactive children, changes in, stimulant-related, *1984:* Apr., 407–409
Socialization, disabilities of, in adolescence, *1984:* Apr., 354
Sodium, in diet for renal insufficiency, *1982:* Aug., 979–981
Spasmus nutans, *1983:* Dec., 1114
Special education, for chronically ill children, *1984:* Feb., 222–226
    controversies in, *1984:* Feb., 270
Specificity theory, of pain, *1984:* Oct., 952
Spelling skills, delayed, in adolescence, *1984:* Apr., 360
Spider nevus, *1983:* June, 466
Spiders, bites from, *1983:* June, 569–571
Spielmeyer-Sjogren disease, learning problems and, *1984:* Apr., 309
Spina bifida, costs of care, *1984:* Feb., 241–242
  open, myelomeningocele, *1984:* Feb., **165–175**
  technologic controversies in care of, *1984:* Feb., 267–268
Spinal disorders, chest pain associated with, *1984:* Oct., 1021
Spirometers, *1984:* Aug., 776–777
Spirometry, versus peak flow rate, *1984:* Aug., 780
Spitz nevus, differentiated from dysplastic melanocytic nevus, *1983:* June, 453
Spondylolisthesis, *1984:* Oct., 1088–1089
  in the athlete, *1984:* Oct., 1111
Spondylolysis, back pain in, *1984:* Oct., 1088–1089
  in dancers and gymnasts, *1982:* Dec., 1415–1417
Sports, for the child with heart disease, *1984:* Dec., 1307–1320
  ocular trauma in, *1983:* Dec., 1181
  pain syndromes in, *1984:* Oct., **1097–1112**

Sports medicine, symposium on, *1982:* Dec., **1303–1454**
Standardized tests. See under *Test* and under specific test.
Stanford-Binet Intelligence Scale, *1984:* Apr., 288–289
Stanford Diagnostic Mathematics Test, *1984:* Apr., 294
Staphylococcal infection, cutaneous, *1982:* Feb., 44
in cystic fibrosis, *1984:* Feb., 139, 143
Staphylococcal scalded skin syndrome, *1983:* June, 533–535
Staphylococci infection, endocarditis due to, anti-infective therapy for, *1983:* Apr., 358–359
combination therapy for, *1983:* Feb., 122–123
Staphylococcus aureus, pneumonia due to, anti-infective therapy for, *1983:* Apr., 311
Staphylococcus aureus infection, vancomycin for, *1983:* Feb., 37
Staphylococcus epidermidis infection, in the immunocompromised host, *1983:* Feb., 106
vancomycin for, *1983:* Feb., 37
State programs, in financing of care for chronically ill children, *1984:* Feb., 247–248
Stature, limited joint mobility and, in diabetes mellitus, *1984:* June, 581
Status asthmaticus, *1984:* Aug., **879–890**
Sterility, in cystic fibrosis, *1984:* Feb., 138
Steroids. See also *Corticosteroids*.
allergic disorders and, *1983:* Oct., 957–959
anabolic, misuse, by adolescent athletes, *1982:* Dec., 1364–1365
for management of chronic pain, *1984:* Oct., 1146–1148
Stevens-Johnson syndrome, *1983:* Aug., 633–634
Stiff hand syndrome, associated with diabetes mellitus, *1984:* June, 576
Still's murmur, *1984:* Dec., 1233
Stimulant drugs, for attention deficit disorders, *1982:* Feb., 116
Stimulants, dose-response relationships, cognitive impairment and, *1984:* Apr., 409–411
emanative effects, *1984:* Apr., 411–418
for attention deficit disorder, *1984:* Apr., 441–451
Stitch, *1984:* Oct., 1019
Stoma, care of, *1982:* Feb., 46
Strabismus, as sign of intraocular tumors, *1983:* Dec., 1074–1076
diagnosis and management, *1983:* Dec., **1003–1014**
Strabismus, diagnosis and management *(Continued)*
in infants, *1983:* Dec., 989–991
nonparalytic, *1983:* Dec., 1004–1008
paralytic, *1983:* Dec., 1008–1011
Streptococcal infection, combination therapy for, *1983:* Feb., 123–124
in the immunocompromised host, *1983:* Feb., 106
pneumonia due to, anti-infective therapy for, *1983:* Apr., 308, 310, 312
prevention, in neonates, *1983:* Apr., 250–253
Streptomycin, for tuberculosis, *1983:* Feb., 186
Stress, effect on cardiovascular disease, *1982:* Dec., 1345
familial, behavioral disorders and, *1982:* Apr., 242–243
recurrent abdominal pain and, *1984:* Oct., 982–983
Stress fracture, *1982:* Dec., 1373–1374; *1984:* Oct., 1106–1107
causing recurrent chest pain, *1984:* Oct., 1015–1016
in dancers and gymnasts, *1982:* Dec., 1415
in young athletes, *1982:* Dec., 1373–1374
Stress incontinence, *1982:* Feb., 10, 11, 14
Stridor, *1984:* Aug., 821–833
flexible bronchoscopy for, *1984:* Aug., 791–792
Sturge-Weber syndrome, glaucoma associated with, *1983:* Dec., 1056
ocular findings in, *1983:* Dec., 1118
vascular nevi in, *1983:* June, 478–479
Stye, *1983:* Dec., 1156–1157
Subglottic hemangioma, *1984:* Aug., 828–829
Subglottic stenosis, congenital, *1984:* Aug., 826–827
Subluxation, of teeth, *1982:* June, 726–727
Sudden death, in young athletes, *1982:* Dec., 1326–1327, **1355–1362**
Sudden infant death syndrome, *1982:* Oct., **1241–1261**
Sulfamethoxazole, with trimethoprim, *1983:* Feb., **27–30**
Sulfur in petrolatum, for scabies, *1983:* June, 568
Sunscreens, *1983:* Aug., 761
Support groups, for parents of chronically ill children, *1984:* Feb., 238–239
Surfactant, lung as factor in respiratory distress syndrome, *1982:* Oct., 1057–1058
Surgery, for bronchiectasis, *1984:* Aug., 873–875
for cardiac arrhythmias, *1984:* Dec., 1191
for cardiovascular disease in Down syndrome, *1984:* Dec., 1340–1341

Surgery *(Continued)*
for cataracts, *1983:* Dec., 1066–1067
for congenital heart disease, *1984:* Feb., 163; *1984:* Dec., **1275–1291**
for epilepsy, *1984:* Feb., 185–186
for glaucoma, *1983:* Dec., 1050–1051
for infectious endocarditis, *1983:* Apr., 355
for neonatal necrotizing enterocolitis, *1982:* Oct., 1163–1164
for patent ductus arteriosus in the premature infant, *1982:* Oct., 1126–1130; *1984:* Dec., 1168
noncardiac, for children with congenital heart disease, *1984:* Dec., 1383–1384
Susceptibility testing, antimicrobial, *1983:* Feb., 143–150
Swallowing disorders, pulmonary complications of, *1984:* Aug., **835–849**
Sweat, abnormalities of, in cystic fibrosis, *1984:* Feb., 137–138
Sweeteners, in nutrition therapy for diabetes mellitus, *1984:* June, 717–718
Swelling, dental, *1982:* June, 709
Swimmers, anthropometric and body composition characteristics, *1982:* Dec., 1312–1313
Swimmers' itch, *1983:* June, 578
Syphilis, congenital, enamel defects due to, *1982:* June, 563
ocular findings in, *1983:* Dec., 1136–1137
Syringocystadenoma papilliferum, *1983:* June, 489
Syringoma, *1983:* June, 491
Systemic illness, oral manifestations, *1982:* June, **585–611**
Systemic lupus erythematosus, pain of, *1984:* Oct., 1057
Systolic time intervals, in diagnosis of patent ductus arteriosus, *1982:* Oct., 1122–1123
use in diabetic patients, *1984:* June, 659–670

TACHYPNEA, transient, in infants of diabetic mothers, *1982:* Oct., 1221–1222
Tars, for skin disorders, *1983:* Aug., 760
Tarsal coalition, pain in, in the athlete, *1984:* Oct., 1108–1110
Task training, for children with learning problems, *1984:* Apr., 339–340
Teacher's Behavior Rating Scale, for diagnosing attention deficit disorder, *1984:* Apr., 433–434
Teaching approaches, for children with learning problems, *1984:* Apr., 338–340
Teenagers. See *Adolescence; Adolescents.*
Telecanthus, *1983:* Dec., 1151
Telephone service, 24-hour, for care of diabetes mellitus, *1984:* Feb., 113
Temperament, as factor in colic, *1984:* Oct., 998–1002
effect on abdominal pain, *1984:* Oct., 984
Temporomandibular joint problems, in adolescence, *1982:* June, 649–650
Tendinitis, Achilles, pain in, *1984:* Oct., 1107–1108
Tennis elbow, *1984:* Oct., 1101
Terbutaline, for asthma, *1983:* Oct., 934–936, 938
Test(s). See also specific test.
criterion-referenced versus norm-referenced, *1984:* Apr., 283–284
for educational and psychological assessment, types of, *1984:* Apr., 283–285
intelligence, *1984:* Apr., 287–288
for recurrent abdominal pain, *1984:* Oct., 987
screening, for language disorders, *1984:* Apr., 323–325
for learning disorders, *1984:* Apr., 286
neurologic, *1984:* Apr., 299–300
Test of Visual Motor Integration, *1984:* Apr., 294
Tests of Written Spelling, *1984:* Apr., 294
Tetanus, due to animal bites, *1983:* Apr., 409–411
Tetracycline, for acne, *1983:* June, 505
for ophthalmia neonatorum, *1983:* Dec., 1037
Tetracycline staining, *1982:* June, 563–564, 590–591
Tetralogy of Fallot, surgery for, *1984:* Dec., 1284–1285
Texidor's twinge, *1984:* Oct., 1016
Theophylline, for asthma, *1983:* Oct., **943–954**
in initial management of acute asthma, *1984:* Aug., 884–885
toxicity, management, *1983:* Oct., 951
Thorax, recurrent pain in, *1984:* Oct., 1014–1018
Thrombocytopenia, in hemolytic-uremic syndrome, *1982:* Aug., 838–840
Thyroid function, in diabetes mellitus, *1984:* June, **623–634**
Thyroid function, in premature infant, *1982:* Oct., **1205–1211**
Thyroxine, conversion to triiodothyronine, in diabetes mellitus, *1984:* June, 623–631
Ticarcillin, *1983:* Feb., 6–12
Tic disorders, *1982:* Feb., **95–101**
Ticks, bites from, *1983:* June, 567
Tietze's syndrome, causing recurrent chest pain, *1984:* Oct., 1015
"Time-out," for behavioral problems, *1982:* Apr., 288–291

Tinea capitis, *1982:* Feb., 37; *1983:* June, 547–551; *1983:* Aug., 644–645
Tinea corporis, *1983:* June, 551–552
Tinea cruris, *1983:* June, 552–553
Tinea manum, *1983:* June, 553–554
Tinea pedis, *1983:* June, 553–554
Tinea unguium, *1983:* June, 555–556
Tinea versicolor, *1983:* June, 556–558
T lymphocytes, in lung disease, *1984:* Aug., 919–921
Tobacco, oral effects, *1982:* June, 644
Tobacco smoke, chronic lung disease and, *1984:* Aug., 763–764, 859–860
  effect on asthma, *1984:* Aug., 762
  effect on cardiovascular disease, *1982:* Dec., 1344
Toddlers, chronically ill, psychological development of, *1984:* Feb., 22–23
  discipline for, *1982:* Apr., 269
Toilet training, *1982:* Apr., **297–313**
  resistance to, diurnal enuresis with, *1982:* Feb., 11, 14, 17–19
Tolazoline, nephrotoxicity of, *1982:* Aug., 786
Tolfenamic acid, for migraine, *1982:* Feb., 89
Tongue, in Beckwith-Wiedemann syndrome, *1982:* June, 576
Tongue-thrust, *1982:* June, 538–542
Tooth (teeth), color, variations, *1982:* June, 701–706
  concussion, *1982:* June, 724–726
  congenitally missing, *1982:* June, 555–556
  displacement, *1982:* June, 727–729
  exarticulation, *1982:* June, 729–731
  histodifferentiation and morphodifferentiation, abnormalities, *1982:* June, 559–560
  posttraumatic changes, *1982:* June, 731–735
  premature loss, *1982:* June, 573–574
  subluxation, *1982:* June, 726–727
  supernumerary, *1982:* June, 556
Toothbrushing, *1982:* June, 653–655
Toothpaste, *1982:* June, 658
Tourette syndrome, *1982:* Feb., 96–98
Toxocariasis infection, ocular, *1983:* Dec., 1092, 1139–1140
Toxoplasmosis infection, in the immunocompromised host, *1983:* Feb., 117
  ocular findings in, *1983:* Dec., 1137–1139
  retinal disorders due to, *1983:* Dec., 1090–1092
Trachea, extrinsic compression of, *1984:* Aug., 832–833
  stenosis of, *1984:* Aug., 832
Tracheoesophageal fistula, *1984:* Aug., 832
  esophageal atresia and, *1984:* Aug., 843–845
  without esophageal atresia, *1984:* Aug., 845–846
Tracheomalacia, *1984:* Aug., 831–832
  versus laryngomalacia, *1984:* Aug., 793
Training, athletic, effect on anthropometric and body composition characteristics, *1982:* Dec., 1318–1320
Training approaches, for children with learning problems, *1984:* Apr., 338–340
  for cross-country skiing, *1982:* Dec., 1428
Transcephalic cerebral impedance, in diagnosis of intraventricular hemorrhage, *1982:* Oct., 1089–1091
Transcutaneous carbon dioxide monitoring, in neonates, *1982:* Oct., 1279–1281
Transcutaneous oxygen monitoring, in neonates, *1982:* Oct., 1275–1279
  scars from, *1983:* Aug., 741
Transesophageal recording and stimulation, for cardiac rhythm disorders, *1984:* Dec., 1177–1179
Transfusion, for patent ductus arteriosus in the premature infant, *1984:* Dec., 1165–1166
  in therapy for polycythemia, *1982:* Oct., 1145
  in neonatal diagnosis, *1982:* Oct., 1282–1283
Transplantation, kidney, in end-stage renal failure, *1984:* June, 644–645
  pancreas, for diabetes mellitus, *1984:* June, **735–750**
    in association with kidney transplantation, *1984:* June, 738–739
  renal, *1982:* Aug., **1013–1038**
Transposition of the great arteries, surgery for, *1984:* Dec., 1286–1287
Transtelephonic electrocardiography, for cardiac rhythm disorders, *1984:* Dec., 1175–1177
Transthoracic electrodes, for recording and pacing of arrhythmias, *1984:* Dec., 1179–1180
Trauma, blunt, causing recurrent chest pain, *1984:* Oct., 1016
  causing limb pain, *1984:* Oct., 1055
  late complications, contributing to recurrent abdominal pain, *1984:* Oct., 979
  ocular, *1983:* Dec., **1167–1183**
    glaucoma due to, *1983:* Dec., 1053
  to dentition and supporting structures, *1982:* June, **717–742**
    prevention, *1982:* June, 664–666, 738–740
Travel, for children with congenital heart disease, *1984:* Dec., 1381–1382
Travelers' diarrhea, *1983:* Apr., 384
Tremors, *1982:* Feb., **101–103**
Trench mouth, *1982:* June, 468–469, 642
Trichinosis, *1983:* June, 580
Trichoepithelioma, *1983:* June, 490
Trichofolliculoma, *1983:* June, 490
Trichopoliodystrophy, *1983:* Aug., 656

Trichorrhexis invaginata, *1983:* Aug., 653
Trichorrhexis nodosa, *1983:* Aug., 653
Trichothiodystrophy, *1983:* Aug., 654–655
Trichotillomania, *1983:* Aug., 647–648
Tricuspid atresia, surgery for, *1984:* Dec., 1287
Tricuspid insufficiency, surgery for, *1984:* Dec., 1283
5-Trifluorothymidine, *1983:* Feb., 81–82
Trigger finger, associated with diabetes mellitus, *1984:* June, 575
Triiodothyronine, in diabetes mellitus, *1984:* June, 623–632
Trimethoprim-sulfamethoxazole, *1983:* Feb., **27–30**
  for urinary tract infection, *1983:* Apr., 327–328
Truncus arteriosus, surgery for, *1984:* Dec., 1288
Tuberculosis, *1983:* Apr., **333–348**
  chemotherapy of, *1983:* Feb., 177–193
  extrapulmonary, *1983:* Apr., 338–344
  management of pregnant woman with, *1983:* Apr., 344–345
  mother with, management of infant, *1983:* Apr., 345–347
  occult, *1983:* Apr., 335
  pulmonary, *1983:* Apr., 337–338
Tumor(s). See also under specific organs or region.
  bone, causing recurrent chest pain, *1984:* Oct., 1017
  bony, benign, causing limb pain, *1984:* Oct., 1064–1067
  headache with, *1982:* Feb., 84
  ocular, *1983:* Dec., **1071–1086**
    glaucoma due to, *1983:* Dec., 1055
  of epidermal origin, *1983:* June, **483–494**
  of eyelids, congenital, *1983:* Dec., 1155–1156
Twenty-nail dystrophy, *1983:* Aug., 746–747
Tympanostomy tubes, for recurrent otitis media, *1983:* Apr., 290
Typhoid fever, chloramphenicol for, *1983:* Feb., 211
Tyrosinemia II, *1983:* Aug., 598–599
Tzanck smear, in cytodiagnosis, *1983:* June, 426–428

Ultrasonography, in determining neonatal blood pressure *(Continued)*
  in diagnosis of intraventricular hemorrhage, *1982:* Oct., 1087–1091
Umbilical cord, prophylactic care of, *1983:* Apr., 252
Underwater sports, pediatric aspects, *1982:* Dec., 1431–1440
Upper respiratory infections, antihistamines for, *1983:* Oct., 911–912
Ureido penicillins, *1983:* Feb., 6–12
Uremia, hemoperfusion in, *1982:* Aug., 1050
  in diabetes mellitus, *1984:* June, **635–651**
Urethral valves, posterior, *1982:* Aug., 820–821
Urethritis, enuresis with, *1982:* Feb., 9
Urethrovaginal reflux, *1982:* Feb., 10
Urgency incontinence, *1982:* Feb., 10, 14, 17–19
Urinalysis, for hypertension, *1984:* Dec., 1265
Urinary frequency, diurnal, *1982:* Feb., 15
Urinary tract infections, *1982:* Feb., 64–66; *1983:* Apr., **323–332**
  complicated, *1983:* Apr., 329
  enuresis with, *1982:* Feb., 9
  in diabetes mellitus, *1984:* June, 635–636
  localization of infection, *1983:* Apr., 326
  recurrent, *1983:* Apr., 330–331
  refractory, *1983:* Apr., 329
  specimen processing, *1983:* Feb., 141
Urine alarm, for enuresis, *1982:* Apr., 309
Urine immunization, autogenous, for allergic disorders, critique of, *1983:* Oct., 810–811
Uropathy, obstructive, long-term outcome, *1982:* Aug., **815–826**
Urticaria, *1982:* Feb., 42–44; *1983:* Oct., **887–897**
  acute, associated with streptococcal infection, *1983:* Aug., 744
  antihistamines for, *1983:* Oct., 909
Urticaria pigmentosa, *1983:* Aug., 626
Uterine bleeding, abnormal, *1982:* Feb., 186–188
Uveitis, glaucoma due to, *1983:* Dec., 1054

ULCERS, aphthous, *1982:* June, 599–600, 690
  oral, *1982:* June, 689–691
  peptic, contributing to recurrent abdominal pain, *1984:* Oct., 977–978
Ultrasonography, cephalic, in neonates, *1982:* Oct., 1287–1291
  in determining neonatal blood pressure, *1982:* Oct., 1291–1292

VACCINIA, of the eyelid, *1983:* Dec., 1157–1158
Vagal maneuvers, for cardiac arrhythmias, *1984:* Dec., 1182–1183
Vancomycin, *1983:* Feb., **31–47**
Varicella infection, in the immunocompromised host, *1983:* Feb., 109–111
  oral lesions of, *1982:* June, 606
Vascular headache, nonmigrainous, *1982:* Feb., 82
Vascular nevi, *1983:* June, **465–482**

Vasodilators, for heart failure, *1984:* Dec., 1209–1214
Veneral disease, oral manifestations, *1982:* June, 644–646
Ventilation, mechanical, for acute asthma, *1984:* Aug., 888–889
Ventricle, single, surgery for, *1984:* Dec., 1287–1288
Ventricular function, echocardiographic assessment, *1984:* Dec., 1360–1361
Ventricular septal defect, in Down syndrome, *1984:* Dec., 1336–1337
  pulmonary atresia with, surgery for, *1984:* Dec., 1284–1286
  surgery for, *1984:* Dec., 1277–1278
Ventriculoperitoneal shunt, in management of increased pressure hydrocephalus, *1982:* Oct., 1100
Verapamil, for cardiac arrhythmias, *1984:* Dec., 1184
Verrucae vulgaris, *1983:* June, 526
Vertebral column disorders, chest pain associated with, *1984:* Oct., 1021
Vesicoureteral reflux, *1982:* Aug., 821–822
  surgeon's perspective, *1982:* Aug., **827–834**
Vesicular and pustular disorders, transient, neonatal, *1983:* Aug., 609–618
Vestibular stimulation, *1984:* Apr., 467
Video-EEG recording, in diagnosis of epilepsy, *1984:* Feb., 180
Vincent's infection, *1982:* June, 468–469, 642
Vineland Behavior Scales, *1984:* Apr., 291
Viral infections, chemotherapy for, *1983:* Feb., **77–92**
  eyelid involvement, *1983:* Dec., 1157–1158
  in the immunocompromised host, *1983:* Feb., 109–114
  obstructive airway disease and, *1983:* Oct., **819–828**
Virazole, *1983:* Feb., 82–83
Viridans streptococci, endocarditis due to, anti-infective therapy for, *1983:* Apr., 356–357
Vision, deprivation, monocular, *1983:* Dec., 983–987
    total, *1983:* Dec., 987–989
  development of in infancy and childhood, *1983:* Dec., **977–993**
  impairment, as sign of intraocular tumors, *1983:* Dec., 1076
  testing, of infants, *1983:* Dec., 977–983
Visual development in childhood, *1983:* Dec., **977–993**
Visual field, defects, *1983:* Dec., 1106–1108
Visually evoked potentials, of infant vision, *1983:* Dec., 981–983
Visually handicapped children, *1983:* Dec., **1185–1193**
  agency resources for, *1983:* Dec., 1193
  with other handicaps, *1983:* Dec., 1191–1192
Vitamin(s), in diet for renal insufficiency, *1982:* Aug., 985
  misuse, by adolescent athletes, *1982:* Dec., 1365–1366
  requirements, for newborn infant, *1982:* Oct., 1179–1180
Vitamin D, in bone disease, *1982:* Aug., **947–972**
  deficiency, *1982:* Aug., 953
  toxicity, *1982:* Aug., 967
Vitamin D-dependent rickets, *1982:* Aug., 959–960
Vitamin D-resistant rickets, *1982:* Aug., 957–959
Vitiligo, psoralen photochemotherapy for, *1983:* Aug., 709–715
Vitreous, hemorrhage, traumatic, *1983:* Dec., 1180
  malformations, hereditary, *1983:* Dec., 1021–1022
Vocal cord paralysis, *1984:* Aug., 825–826
Voluntary associations, in financing of care for chronically ill children, *1984:* Feb., 247

WARTS, *1983:* June, 526
  flat, *1983:* June, 528
  plantar, *1983:* June, 527
  topical therapy for, *1983:* Aug., 763
Water and electrolyte disturbances, interference with growth, *1982:* Aug., 994–995
Wechsler Intelligence Scale for Children—Revised, *1984:* Apr., 287–288, 435
Wetting, daytime, *1982:* Feb., **9–20**
Wheezing, cold-induced, in young skiers, *1982:* Dec., 1427
  infectious agents associated with, *1983:* Oct., 819–826
  persistent, bronchoscopy for, *1984:* Aug., 794
White sponge nevus, *1982:* June, 608
Wide Range Achievement Test, *1984:* Apr., 289–290
Wilson's disease, *1982:* Feb., 102
  learning problems and, *1984:* Apr., 308
  ocular findings in, *1983:* Dec., 1125–1126
Woodcock-Johnson Psychoeducational Battery, *1984:* Apr., 294
Wood light examination, *1983:* June, 431–433
Wright peak flow meter, *1984:* Aug., 777
Writing skills, delayed, in adolescence, *1984:* Apr., 356–358

XIPHOID, hypersensitive, *1984:* Oct., 1017
X-ray, chest, in diagnosis of patent ductus arteriosus in the premature infant, *1984:* Dec., 1162
in assessment of headache, *1984:* Oct., 1038–1039
ZINC, deficiency, *1983:* June, 585–586
subacute, *1983:* June, 590
treatment, *1983:* June, 591–592
skin and, *1983:* June, 583–596
Zoster infection, in the immunocompromised host, *1983:* Feb., 111–112